



Plagiarism Checker X Originality Report

Similarity Found: 12%

Date: Monday, August 10, 2020

Statistics: 366 words Plagiarized / 3124 Total words

Remarks: Low Plagiarism Detected - Your Document needs Optional Improvement.

International Conference on Science and Technology 2019 **Journal of Physics: Conference Series** 1569 (2020) 022095 IOP Publishing

doi:10.1088/1742-6596/1569/2/022095 1 The Sustainable Economic Order Quantity Model: A Model Consider Transportation, Warehouse, Emission Carbon Costs, and Capacity Limits Dana Marsetiya Utama¹, Dian Setiya Widodo², Muhammad Faisal Ibrahim³, Khoirul Hidayat⁴, Shanty Kusuma Dewi ¹ Department Industrial Engineering, University of Muhammadiyah Malang, Jl. Tlogomas No. 246, 65144 Malang, East Java, Indonesia ² Department of Manufacturing Technology, Vocational Faculty, University of 17 Agustus 1945 Surabaya Jl.

Semolowaru 60118 East Java, Indonesia ³ Logistics Department, Universitas Internasional Semen Indonesia Jl. Veteran Kabupaten Gresik, Jawa Timur 61122, Indonesia ⁴ Depertemen Agroindustrial, Trunojoyo University, Jl. Raya Telang, Kabupaten Bangkalan, Jawa Timur 69162, Indonesia dana@umm.ac.id Abstract — Recently, the problem of minimizing emission carbon in the industry has become a focus of much research. One of the efforts that were successfully carried out was managing the sustainable economics order quantity (SEOQ).

However, several SEOQ had assumption such as (1) Transportation and warehouse costs are ignored, (2) Transportation emissions are avoided, and (3) warehouse Capacity Limit are ignored. In this paper, we developed the SEOQ model with warehouse costs and capacity limits. There are two proposed SEOQ models. Model 1 was the SEOQ model with Transportation and warehouse costs also emission carbon. At Model SEOQ 2, this model considered Transportation and warehouse costs, emission carbon, and capacity. We also proposed procedures to minimize total inventory costs. Finally, a numerical experiment was conducted to test the model.

Based on numerical experiments, the proposed model useful to solve SEOQ problems with Transportation and warehouse also costs capacity limits. Keywords; Capacity; SEOQ; Transportation; Warehouse 1. Introduction Inventory has an essential role in the supply chain [1]. In addition, it is the primary key for the company to support the smooth production [2, 3]. It has an impact on costs [4]. Several approaches have been proposed by experts to complete the inventory problem. These include **the Economic Order Quantity (EOQ)** [5], dynamic programming [6, 7], and the heuristic algorithm [8].

The EOQ model developed by Harris [5] is referred to as a primary inventory model that inspires researchers. It is more attractive to researchers than other models. Other methods require complicated efforts to solve problems. **In the basic EOQ model**, several researchers have developed this **model by considering transportation costs**. These focus on economic aspects. Many efforts have been made by researchers to develop the EOQ model. Some researchers consider transportation costs in EOQ. Baumol and Vinod [9] were one of the researchers who developed the International Conference on Science and Technology 2019 **Journal of Physics: Conference Series** 1569 (2020) 022095 IOP Publishing doi:10.1088/1742-6596/1569/2/022095 2 **EOQ model by considering transportation costs**. Their model aims to minimize total transportation, ordering, and transportation costs. The Harris [5] model was then developed by add stock out costs by Buffa and Reynolds [10].

Recently, the problem of inventory in consideration of environmental problems has become a concern of many researchers. It is referred to by researchers as a problem of sustainable inventory [11]. Some experts consider the environment as a problem in companies and the world. Through government regulations, companies are required attention in environmental aspects. The environmental aspect includes emissions and waste. In developed countries, the government provides a carbon emission tax policy to companies. It is given so that companies care to environmental issues [12-14]. Carbon emissions in inventory problems arise from several activities.

It includes transportation, storage, and warehouse. Through inventory management, companies can control carbon emissions and economic aspects [15-17]. Experts have been investigated **the sustainable EOQ (SEOQ)** issue. Generally, environmental performance considered is carbon emissions. Some researchers have investigated this problem including Chen, et al. [18], Jaber, et al. [19], and Taleizadeh, et al. [20]. Generally, they consider the issue of carbon emissions consequences of the order frequency aspect and the quantity of storage.

In addition, several studies on SEOQ issues with consideration of transportation costs

and carbon emissions have been carried out by researchers. Battini, et al. [21] developed the SEOQ model by considering internal and external transportation. Several studies on the issue of SEOQ have been carried out by researchers. However, the studies still used several assumptions. These include unlimited warehouse capacity and no warehouse costs. Warehouse costs are needed because the company does not have a warehouse. Companies use it for storing goods. This study aims to develop the SEOQ model with warehouse costs and capacity limits. There are two proposed SEOQ models.

Model 1 was the SEOQ model with the cost of transportation and warehouse as well as carbon emissions. In the SEOQ 2 model, this model considers the costs of transportation and warehouse, carbon emissions, and capacity. We also propose procedures to minimize total inventory costs. 2. Methods 2.1 Assumption The proposed model has several assumptions. These include (1) the demand for each period is constant and deterministic, hence, the demand annual is fixed, (2) transportation costs, holding costs, social costs of vehicle emissions, fixed waste costs per waste disposal activity and warehouse costs are fixed, (3) distance traveled, average speed, proportion of waste is fixed. (4) warehouse capacity does not change, (5) costs owned are unlimited, and (6) models are used to complete single products.

In this paper, the proposed SEOQ model was carbon emissions. In addition, we developed the EOQ model by considering warehouse capacity constraints. The EOQ model was developed with carbon emissions based on the model proposed by Battini, et al. [21]. The proposed SEOQ model considering carbon emissions with the effect of carbon emissions; waste produced and transportation. The notations used in this model are as follows: : Order Cost : Inventory Cost : fixed costs for each trip : Variable Costs per Unit : mileage : proportion of return the demand : Demand : Lagrange : social costs of vehicle emissions : speed average : Waste costs (Rp/unit) : Warehouse Costs : Maximum storage capacity : economical order quantity : classical economic order quantity : economical order quantity with warehouse restrictions : Purchase Costs : Transportation Costs per cycle : Emission Costs per cycle : Waste produced per cycle International Conference on Science and Technology 2019 *Journal of Physics: Conference Series* 1569 (2020) 022095 IOP Publishing doi:10.1088/1742-6596/1569/2/022095 3 : fixed cost per waste disposal activity : The proportion of waste produced per lot Q : Use of space per unit : Warehouse Cost : Total inventory costs : Total inventory costs with warehouse costs 2.2

Basic Sustainable EOQ Model Some of the cost components of the basic SEOQ model include purchasing costs, transportation costs, emissions costs, and waste costs. Formula purchase per cycle can be seen in equation 1. Transportation costs per cycle (shipping and collection of returned goods) are described in equation (2). Emission costs for

transportation per cycle are seen in equation (3). Waste produced by the inventory system per cycle is illustrated in equation (4).

The mathematical model for calculating the total cost of inventory per cycle was to add the entire cost component in equation (1), equation (2), equation (3), and equation (4). The total inventory cost per cycle can be seen in equation (5), Show cycle time. Therefore, the annual total inventory cost (TC) is seen in equation (6). To obtain the optimal Q value, we make the first equation (6) towards Q. Therefore, we get the optimal Q solution as in equation (7). (1) (2) (3) (4) (5) (6) (7) 2.3 The proposed sustainable EOQ model 1 Based on the basic SEOQ model, we developed the proposed SEOQ model 1 with add warehouse costs.

It is a warehouse cost to minimize total inventory costs. The warehouse cost formula is illustrated in equation (8). Furthermore, the annual total inventory cost formula with warehouse costs () was to add the entire cost component in equation (1), equation (2), equation (3), and equation (4). The total inventory cost per cycle can be seen in equation (5), and equation (8). Therefore, the formula was formulated in equation 9. Equation (9) was first derived from the value of Q.

Through the first derivative of equation (9) to the value of Q, we get the optimal formula Q as in equation (10) (8) (9) (10) International Conference on Science and Technology 2019 Journal of Physics: Conference Series 1569 (2020) 022095 IOP Publishing doi:10.1088/1742-6596/1569/2/022095 4 2.4 Proposed Sustainable EOQ Model 2 (Warehouse Capacity Limitation) In developing the proposed model with this warehouse capacity limitation, equation (9) is added to the function of the warehouse constraint constraints. We used the Lagrange method to solve warehouse constraints. At the warehouse boundary, materials have dimensions denoted by o. the number of economic orders (Q) is not allowed to exceed warehouse capacity.

Warehouse boundary formula was seen in equation (11). The Lagrange formula was generated by summing equation (9) and equation (11). This formula is illustrated in equation (12). The Solution to the Lagrange formula (equation (12)) wadone y erorng he ir tl itof aQ.Tr tpatl itof equai(12) owad is iequai(13). Furthermore, the results of the partial derivative of equation (12) toward Q is illustrated in equation (14). Tobtin he luof he grnge rbl(? substitute equation (14) into equation (15). The result is illustrated in equation (15). (11) (12) (13) (14) (15) 2.5

Procedures to minimize total inventory costs with warehouse capacity limits We proposed a procedure to describe the most suitable model to solve the problem. The procedure was based on the SEOQ 1 model and the proposed SEOQ model 2 with

capacity constraints. The procedure is as follows: 1). Calculate the value of the parameter λ (15); 2). Check the conditions, if $\lambda > 0$, the optimal model formula uses equation (14) or (13), if $\lambda \leq 0$, use equation (10), and if $\lambda = 0$, the optimal model formula uses equation (10), equation (14); 3). Calculate the total cost of inventory using equation (9). 2.6

Numerical experimental procedure model As the implementation of the proposed EOQ model, we conducted a numerical experiment as a method to validate the model. Numerical experiments were conducted to find out the results of the comparison between the SEOQ 1 model and the proposed SEOQ model 2. The cost component is shown in table 1. This experiment has a variation of 20 different warehouse capacity data. Warehouse capacity is varied with a minimum value of 200 m³ and a maximum value of 2000 m³. 3. Results and discussion Table 2 shows the results of the SEOQ 1 model and SEOQ 2 model. In SEOQ 1 model, the quantity order is 46 units per order.

Furthermore, in the SEOQ 2 model, the number of orders adjusts to the limits of available capacity and room use per unit of product. Based on Table 2, if the available warehouse capacity is relatively small, the order lot size is relatively small. Moreover, the available warehouse capacity is relatively large; the size of the ordering lot is relatively large. The experimental results are concluded as follows: the optimal model formula is used using equations (14) or (13).

The Q value indicates that the order quantity that must be done does not exceed the available warehouse capacity limit. If the λ value International Conference on Science and Technology 2019 *Journal of Physics: Conference Series* 1569 (2020) 022095 IOP Publishing doi:10.1088/1742-6596/1569/2/022095 is $\lambda < 0$, then the optimal model formula uses equation (10). It also viewed from the results of the order quantity according to the available warehouse capacity. Based on Table 2, the smaller the warehouse capacity, the higher the total inventory cost.

Moreover, if the available warehouse capacity obtains higher, then the total cost of inventory is smaller. The experimental results show that cost emission, waste cost, and warehouse cost are influenced by order quantity (Q). In the cost transportation emission and waste cost, the higher the Q value, the lower the cost transportation emission and waste. It because the frequency of shipping of goods is smaller. Furthermore, the smaller the Q value, the higher the emission transportation costs and waste costs. The results of this experiment are consistent with the research conducted by Battini, et al. [21].

In warehouse costs, the higher the value of Q, the higher the total warehouse costs. Moreover, the smaller the Q value, the smaller the total warehouse cost. Table 1. Cost Components Variable Value Unit 100 Rp/order c 350 Rp/unit 200 Rp/unit/year 50 Rp 25 Rp/unit/km 140 Km 0,5 - Variable Value Unit 2000 Unit/year 100 Rp/ hour 70 Km/ hour 20 Rp/unit 40 m³ 12 - 15 - 14 - Table 2. Recapitulates the Results of the SEOQ 1 Model and the SEOQ 2 Model Model SEOQ 2 (Rp) 100 1427,667 8 8432434,8 200 320,667 17 8363468,2 300 115,667 25 8343701,5 400 43,917 33 8336234,8 500 10,707 42 8333688,2 600 -7,333 50 8333601,5 700 -18,211 58 8334920,5 800 -25,271 67 8337118,2 900 -30,111 75 8339901,5 1000 -33,573 83 8343094,8 Model SE OQ 2 (Rp) 1 1 0 0 - 3 6 , 1 3 5 9 2 8 3 4 6 5 8 6 , 3 1 2 0 0 - 3 8 , 0 8 3 1 0 0 8 3 5 0 3 0 1 , 5 1 3 0 0 - 3 9 , 6 0 0 1 0 8 8 3 5 4 1 8 8 , 7 1 4 0 0 - 4 0 , 8 0 3 1 1 7 8 3 5 8 2 1 1 , 0 1 5 0 0 - 4 1 , 7 7 3 1 2 5 8 3 6 2 3 4 1 , 5 1 6 0 0 - 4 2 , 5 6 8 1 3 3 8 3 6 6 5 5 9 , 8 1 7 0 0 - 4 3 , 2 2 6 1 4 2 8 3 7 0 8 5 0 , 5 1 8 0 0 - 4 3 , 7 7 8 1 5 0 8 3 7 5 2 0 1 , 5 1 9 0 0 - 4 4 , 2 4 5 1 5 8 8 3 7 9 6 0 3 , 3 2 0 0 0 - 4 4 , 6 4 3 1 6 7 8 3 8 4 0 4 8 , 2 Model SE OQ 1 : Q=46 8311316 4. Conclusion This study aims to develop a Sustainable EOQ model. There are two proposed SEOQ models.

Model 1 is the SEOQ model with the cost of transportation and warehouse as well as carbon emissions. In the SEOQ 2 model, this model considers the costs of transportation and warehouse, carbon emissions, and capacity. We proposed optimal procedures to solve the problem of Sustainable EOQ with warehouse capacity limits. The results show a useful model to solve inventory problems by considering the costs of transportation and warehouses, carbon emissions, and capacity. The future work is that a sustainable EOQ model can be developed for multi items with several limitations such as warehouse boundaries and capital constraints.

International Conference on Science and Technology 2019 **Journal of Physics: Conference Series** 1569 (2020) 022095 IOP Publishing doi:10.1088/1742-6596/1569/2/022095 6 5. References [1] G. Kim, K. Wu, and E. Huang, "Optimal inventory control in a multi-period newsvendor problem with non-stationary demand," *Advanced Engineering Informatics*, vol. 29, pp. 139- 145, 2015. [2] D. M. Utama, "Penentuan Lot Size Pemesanan Bahan Baku Dengan Batasan Kapasitas Gudang," *Jurnal Ilmiah Teknik Industri*, vol. 15, pp. 64-68, 2016. [3] D. M.

Utama, "Model Penentuan Lot Pemesanan Dengan Mempertimbangkan Unit Diskon dan Batasan Kapasitas Gudang dengan Program Dinamis," 2017, vol. 18, p. 9, 2017-08-24 2017. [4] D. M. Utama, D. P. Wardani, S. T. Halifah, and D. C. Pradikta, "Model Economic Production Quantity dengan Rework Process dan Batasan Gudang," *Jurnal Sistem dan Manajemen Industri*, vol. 3, pp. 43-49, 2019. [5] F. Harris, "What quantity to make at once," *The library of factory management*, vol. 5, pp. 47- 52, 1915. [6] H. M. Wagner and T. M. Whitin, "Dynamic version of the economic lot size model," *Management science*,

vol. 5, pp. 89-96, 1958. [7] D. M.

Utama, "Model Program Dinamis Untuk Lot Size Multi Item Dengan Kendala Kapasitas Gudang," *J@ ti Undip: Jurnal Teknik Industri*, vol. 1, pp. 21-26. [8] E. A. Silver, "A heuristic for selecting lot size quantities for the case of a deterministic time-varying demand rate and discrete opportunities for replenishment," *Prod. Inventory Manage.*, vol. 2, pp. 64-74, 1973. [9] W. J. Baumol and H. D. Vinod, "An inventory theoretic model of freight transport demand," *Management science*, vol. 16, pp. 413-421, 1970. [10] F. P. Buffa and J. I.

Reynolds, "The inventory-transport model with sensitivity analysis by indifference curves," *Transportation Journal*, pp. 83-90, 1977. [11] M. Bonney and M. Y. Jaber, "Environmentally responsible inventory models: Non-classical models for a non-classical era," *International Journal of Production Economics*, vol. 133, pp. 43-53, 2011. [12] J. Qin, X. Bai, and L. Xia, "Sustainable Trade credit and replenishment policies under the cap-and-trade and carbon tax regulations," *Sustainability*, vol. 7, pp. 16340-16361, 2015. [13] X. Ma, P. Ji, W. Ho, and C.-H.

Yang, "Optimal procurement decision with a carbon tax for the manufacturing industry," *Computers & Operations Research*, vol. 89, pp. 360-368, 2018. [14] H. Yang, J. Luo, and H. Wang, "The role of revenue sharing and first-mover advantage in emission abatement with carbon tax and consumer environmental awareness," *International Journal of Production Economics*, vol. 193, pp. 691-702, 2017. [15] V. Hovelaque and L. Bironneau, "The carbon-constrained EOQ model with carbon emission dependent demand," *International Journal of Production Economics*, vol. 164, pp. 285-291, 2015. [16] N. Absi, S. Dauzère-Pérès, S. Kedad-Sidhoum, B. Penz, and C.

Rapine, "The single-item green lot-sizing problem with fixed carbon emissions," *European Journal of Operational Research*, vol. 248, pp. 849-855, 2016. [17] S. Tang, W. Wang, H. Yan, and G. Hao, "Low carbon logistics: Reducing shipment frequency to cut carbon emissions," *International Journal of Production Economics*, vol. 164, pp. 339-350, 2015. [18] X. Chen, S. Benjaafar, and A. Elomri, "The carbon-constrained EOQ," *Operations Research Letters*, vol. 41, pp. 172-179, 2013. [19] M. Y. Jaber, M. Bonney, and H.

Jawad, "Comparison between economic order/manufacture quantity and just-in-time models from a thermodynamics point of view," *Computers & Industrial Engineering*, vol. 112, pp. 503-510, 2017. [20] A. A. Taleizadeh, V. R. Soleymanfar, and K. Govindan, "Sustainable economic production quantity models for inventory systems with shortage," *Journal of cleaner production*, vol. 174, pp. 1011-1020, 2018. International

Conference on Science and Technology 2019 *Journal of Physics: Conference Series* 1569 (2020) 022095 IOP Publishing doi:10.1088/1742-6596/1569/2/022095 7 [21] D. Battini, A. Persona, and F.

Sgarbossa, "A sustainable EOQ model: theoretical formulation and applications," *International Journal of Production Economics*, vol. 149, pp. 145-153, 2014.

INTERNET SOURCES:

<1% -

https://www.researchgate.net/publication/307585563_Management_of_Blood_Donation_System_Literature_Review_and_Research_Perspectives

<1% -

https://www.researchgate.net/publication/222515499_Effects_of_inflation_and_time-value_of_money_on_an_economic_order_quantity_model_with_a_random_product_life_cycle

<1% -

https://www.researchgate.net/publication/227420662_The_design_of_sustainable_logistics_network_under_uncertainty

<1% -

https://www.researchgate.net/publication/338718557_A_literature_review_on_reducing_carbon_emission_from_supply_chain_system_drivers_barriers_performance_indicators_and_practices

<1% -

https://www.researchgate.net/publication/227420860_Environmentally_responsible_inventory_models_Non-classical_models_for_a_non-classical_era

<1% - <https://www.sciencedirect.com/science/article/pii/S0956053X17304889>

<1% -

https://www.researchgate.net/publication/270720960_Production_lot-sizing_and_carbon_emissions_under_cap-and-trade_and_carbon_tax_regulations

<1% - <https://www.sciencedirect.com/science/article/pii/S0307904X15007416>

<1% - <https://www.sciencedirect.com/science/article/pii/S0360835208003264>

<1% -

https://www.researchgate.net/publication/338014727_Maximizing_The_Output_Power_Harvest_Of_A_Pv_Panel_A_Critical_Review

<1% -

<https://www.economicdiscussion.net/inventory/inventory-control-concept-importance-and-methods/21981>

<1% - <https://www.sciencedirect.com/science/article/pii/S0956053X14002116>

<1% -

https://www.researchgate.net/publication/265168422_Hybrid_Fuel_Cell_Gas_Turbine_Sys

tem_Design_and_Optimization

<1% -

<https://www.minato-kesenuma.com/login/wp-content/uploads/2407b2d63ce9fa71b58a57fcecea47ec-2.pdf>

<1% - <https://www.sciencedirect.com/science/article/pii/S0925527316301827>

1% - <http://mason.gmu.edu/~chuang10/publication.htm>

1% - <http://ejournal.umm.ac.id/index.php/industri/article/view/5302>

<1% - <https://ejournal.undip.ac.id/index.php/teknik/article/view/24508>

1% - <http://research-report.umm.ac.id/index.php/sentra/article/view/1463>

1% - <https://ejournal.unisba.ac.id/index.php/ethos/article/view/5379>

3% - <http://ejournal.umm.ac.id/index.php/industri/article/view/7353>

<1% - <https://journals.sagepub.com/doi/abs/10.1177/003754978203900303>

<1% - <https://www.sciencedirect.com/science/article/pii/S1366554509001628>

1% - <https://link.springer.com/article/10.1007/s10479-018-3069-7>

<1% -

<https://research.monash.edu/en/publications/optimal-procurement-decision-with-a-carbon-tax-for-the-manufactur>

<1% - <https://www.sciencedirect.com/science/article/pii/S0377221719302140>

1% - <https://www.sciencedirect.com/science/article/pii/S0925527314003910>

<1% -

https://www.researchgate.net/publication/317394650_Integrated_economic_and_environmental_two-stage_supply_chain_model_under_vendor_managed_consignment_inventory_partnership

1% - <http://www.growingscience.com/dsl/resume/taleizadeh.html>

1% -

http://www.gest.unipd.it/it/ruoli/personale-docente?set_language=it&nome=daria-battini