

AIP Conference Proceedings

PRELIMINARY

Preface: 1st International Conference on Technology, Informatics, and Engineering

AIP Conference Proceedings 2453, 010001 (2022) doi: <https://doi.org/10.1063/1.50010175>

[View article](#)

[PDF](#)

ENGINEERING

Design of a micro-scale wind turbine with horizontal axis using airfoil NACA 4412

[Sudarman](#); [Nur Subeki](#); [Adhan Kharisma Rudi Akhmadi](#)

AIP Conference Proceedings 2453, 020001 (2022) doi: <https://doi.org/10.1063/5.0094625>

[Abstract](#)

[View article](#)

[PDF](#)

The utilization of catalytic converter in reducing motorized vehicles emissions with copper and brass wire combined catalyst in the spiderwebs-shape

[Ali Mokhtar](#); [Andinusa Rahmandhika](#); [Suwignyo](#); [Fredy Wijayanto](#)

AIP Conference Proceedings 2453, 020002 (2022) doi: <https://doi.org/10.1063/5.0094384>

[Abstract](#)

[View article](#)

[PDF](#)

Guava leaves extract as the corrosion inhibitor and its effect to the mechanical properties of low-carbon steel

[Moh. Jufri](#); [M. Irkham Mamungkas](#); [Rezky Alfian Redha](#); [Ali Saifullah](#); [Sudarman](#)

AIP Conference Proceedings 2453, 020003 (2022) doi: <https://doi.org/10.1063/5.0094397>

[Abstract](#)

[View article](#)

[PDF](#)

Analysis of the effect of cooling media variations on tensile strength of electrical welding results of S45C steel

[Henri Hendaryati](#); [Achmad Fauzan Hery Soegiharto](#); [Rio Dwi Virdianto](#); [Ali Saifullah](#)

AIP Conference Proceedings 2453, 020004 (2022) doi: <https://doi.org/10.1063/5.0094602>

[Abstract](#)

[View article](#)

[PDF](#)

Analysis of disability lifter design utilizing hydraulic lifter

[Daryono](#); [Suwarsono](#); [Febriansyah Nusantara](#)

AIP Conference Proceedings 2453, 020005 (2022) doi: <https://doi.org/10.1063/5.0094492>

[Abstract](#)

[View article](#)

[PDF](#)

Corrosion rate analysis on the paint coated-A36 steel in salt and acid solutions

[Dini Kurniawati](#); [Murjito](#); [Dhimas Rizky Nuraditya](#)

AIP Conference Proceedings 2453, 020006 (2022) doi: <https://doi.org/10.1063/5.0094403>

[Abstract](#)

[View article](#)

[PDF](#)

Design and construction of acquisition system for aluminum shaft stress-strain measurement

[Budiono](#); [Trihono Sewoyo](#); [Muhammad Fachril Andara Amin](#)

AIP Conference Proceedings 2453, 020007 (2022) doi: <https://doi.org/10.1063/5.0094363>

[Abstract](#)

[View article](#)

[PDF](#)

Characterization of slug flow pattern formation in 16 mm diameter horizontal pipe

[Andinusa Rahmandhika](#); [Ali Mokhtar](#); [Herry Suprianto](#); [Mulyono](#); [Faris Rizal Andardi](#)

AIP Conference Proceedings 2453, 020008 (2022) doi: <https://doi.org/10.1063/5.0094383>

[Abstract](#)

[View article](#)

[PDF](#)

Effect of transient flame static tensioning method on distortion and mechanical properties of aluminum A5083 with MIG welding

[Nur Subeki](#); [Achmad Fauzan Hery Soegiharto](#); [Moh. Izzat Kamal Abqary](#)

AIP Conference Proceedings 2453, 020009 (2022) doi: <https://doi.org/10.1063/5.0094938>

[Abstract](#)

[View article](#)

[PDF](#)

Design of methane catcher in cow dung with digester capacity of 1000 liters

[Herry Suprianto](#); [Murjito](#); [Wahyudin Nor](#)

AIP Conference Proceedings 2453, 020010 (2022) doi: <https://doi.org/10.1063/5.0096624>

[Abstract](#)

[View article](#)

[PDF](#)

Effect of alkali treatment on mechanical properties of pineapple leaf fiber/polyester composites by vacuum infusion method

Mohamad Irkham Mamungkas; Iis Siti Aisyah; Nur Hasanah; Nur Subeki; Mohammad Jufri; Heni Hendaryati; Ali Saifulah

AIP Conference Proceedings 2453, 020011 (2022) doi: <https://doi.org/10.1063/5.0094474>

Abstract ▾

View article

PDF

The effect of layer height and deposit orientation to surface quality on 3D printed polylactic acid (PLA)

Murjito; Mohamad Irkham Mamungkas; Redyarsa Dharma Bintara

AIP Conference Proceedings 2453, 020012 (2022) doi: <https://doi.org/10.1063/5.0094483>

Abstract ▾

View article

PDF

The effect of distance variation on electroplating process of decorative nickel-chrome on the microstructure, thickness and weight of plating on A36 steel

Iis Siti Aisyah; Rizky Rachmad Susilo; Murjito

AIP Conference Proceedings 2453, 020013 (2022) doi: <https://doi.org/10.1063/5.0094401>

Abstract ▾

View article

PDF

Application of molecular dynamic energy of kaolin clay as photocatalysts

Yepy Komaril Sofi; Sudarman; Herry Suprianto

AIP Conference Proceedings 2453, 020014 (2022) doi: <https://doi.org/10.1063/5.0094250>

Abstract ▾

View article

PDF

Analysis of effect of welding repair on superheated tube boiler SA 335

Iham Arifin Pahlawan; Alviani Hesthi Permata Ningtyas; Muhammad Syahrul Iqbal Wafiy

AIP Conference Proceedings 2453, 020015 (2022) doi: <https://doi.org/10.1063/5.0094614>

Abstract ▾

View article

PDF

Vertical force occurrence due to parameter variations in friction stir laps welding on A1100-A1050 sheets

Suwarsono; Budiono; Rizky Irsandi Syahputra; Ali Mokhtar; Ary Dwi Astuti; Khusnul Hadi; Kholid Imam Santoso

AIP Conference Proceedings 2453, 020016 (2022) doi: <https://doi.org/10.1063/5.0094491>

Abstract ▾

View article

PDF

Design of marine wave power generator pendulum system with 300 watt power

Mulyono; Sudarman; Fady Ahmad Syakirin

AIP Conference Proceedings 2453, 020017 (2022) doi: <https://doi.org/10.1063/5.0094490>

Abstract ▾

View article

PDF

The effect of cooling media on mechanical properties of welded ST37 steel

Nur Hasanah; Roro Reni Hendaryatu; Budiono; Bagas Sukma Ardi Pradana

AIP Conference Proceedings 2453, 020018 (2022) doi: <https://doi.org/10.1063/5.0095215>

Abstract ▾

View article

PDF

XY plotter machine design with special linear and tilt motion utilizing Arduino Uno

Trihono Sewoyo; Sudarman; Moh. Irfan Rosyadi Alfin Karomi

AIP Conference Proceedings 2453, 020019 (2022) doi: <https://doi.org/10.1063/5.0095192>

Abstract ▾

View article

PDF

The role of the fuel-flame separator in stabilizing the flame of liquid fuel in a meso-scale combustor

Achmad Fauzan Hery Soegiharto; Mulyono; Muhammad Rasyid Ridho; Lilis Yuliaty; Fudhail Abdul Munir

AIP Conference Proceedings 2453, 020020 (2022) doi: <https://doi.org/10.1063/5.0094613>

Abstract ▾

View article

PDF

Numerical investigation on the effect of direct welding heat for on-stream repair of stainless-steel piping

Fudhail Abdul Munir; Eddy Azrai Arifin; Achmad Fauzan Hery Soegiharto; Mohd Kamil Sued; Mohd Ahadlin Mohd Daud

AIP Conference Proceedings 2453, 020021 (2022) doi: <https://doi.org/10.1063/5.0095057>

Abstract ▾

View article

PDF

Early age physical properties of porous concrete containing recycle aggregate concrete (RAC) and fibrillated polypropylene fiber under compression load

A. R. Idrus; M. W. Tjaronge; A. A. Amiruddin

AIP Conference Proceedings 2453, 020022 (2022) doi: <https://doi.org/10.1063/5.0095616>

Abstract ▾

View article

PDF

Flexural behavior of hybrid beam prepared with RC and foam concrete

Ismunandar Muchtar; M. W. Tjaronge; Rita Irmawaty

AIP Conference Proceedings 2453, 020023 (2022) doi: <https://doi.org/10.1063/5.0095620>

Abstract ▾

View article

PDF

Early age physical properties of porous concrete containing nickel slag aggregate under compression load

A. F. Irfansyah; M. W. Tjaronge; A. A. Amiruddin

AIP Conference Proceedings 2453, 020024 (2022) doi: <https://doi.org/10.1063/5.0100126>

Abstract ▾

View article

PDF

Realtime flood propagation on the downstream of Bili-Bili reservoir with hydraulic routing

M. A. Sudarmin; F. Maricar; R. T. Lopa

AIP Conference Proceedings 2453, 020025 (2022) doi: <https://doi.org/10.1063/5.0095391>

Abstract ▾

View article

PDF

Physical behavior of foam concrete constructed with blended cement and polyolefin fiber

Sahiruddin; M. W. Tjaronge; R. Irmawaty

AIP Conference Proceedings 2453, 020026 (2022) doi: <https://doi.org/10.1063/5.0096707>

Abstract ▾

View article

PDF

The effect of filter thickness on the effectiveness of Bira beach sand as a filter media in water treatment

Ramdhani Nur Saputra; Muh. Saleh Pallu; Bambang Bakri

AIP Conference Proceedings 2453, 020027 (2022) doi: <https://doi.org/10.1063/5.0096654>

Abstract ▾

View article

PDF

Mechanical properties of self-compacting geopolymer concrete utilizing fly ash

Pinta Astuti; Rahmad Afriansya; Evelyn Anabela Anisa; Julian Randisyah

AIP Conference Proceedings 2453, 020028 (2022) doi: <https://doi.org/10.1063/5.0094463>

Abstract ▾

View article

PDF

Reinforcing the performance of signalized intersection on the border of Malang and Batu city

Fatimah Salsabila Soamole; Faris Rizal Andardi; Amalia Nur Adibah

AIP Conference Proceedings 2453, 020029 (2022) doi: <https://doi.org/10.1063/5.0094270>

Abstract ▾

View article

PDF

Strengthening the performance of unsignalized intersections in Dinoyo district

Siti Anissa Chofidloturrohmah; Amalia Nur Adibah; Faris Rizal Andardi

AIP Conference Proceedings 2453, 020030 (2022) doi: <https://doi.org/10.1063/5.0094331>

Abstract ▾

View article

PDF

Performance evaluation of unsigned four junctions in Malang city

Nurman Handitya Prima; Sunarto; Andi Syaiful Amal

AIP Conference Proceedings 2453, 020031 (2022) doi: <https://doi.org/10.1063/5.0094920>

Abstract ▾

View article

PDF

Service level of economic sector from sidewalk in Madura

Noviana Agustini; Amalia Nur Adibah; Lintang Satiti Mahabella

AIP Conference Proceedings 2453, 020032 (2022) doi: <https://doi.org/10.1063/5.0094624>

Abstract ▾

View article

PDF

Application of Pertamina as modifier at Lasbutag cold mix for the ossifying of the road

Alik Ansyori Alamsyah

AIP Conference Proceedings 2453, 020033 (2022) doi: <https://doi.org/10.1063/5.0094915>

Abstract ▾

View article

PDF

The scenario of sea-level rise on land and buildings affected by tidal floods in Batang Regency Central Java

Nursetiawan; Amri Firdaus; Bernahda Primadalia

AIP Conference Proceedings 2453, 020034 (2022) doi: <https://doi.org/10.1063/5.0095193>

Abstract ▾

View article

PDF

The application of mountain soil materials in Kalumata Puncak village as a road trace pile material covering physical and mechanical properties

Moh. Aslan Tafwid Wais; Andi Syaiful Amal; Samin

AIP Conference Proceedings 2453, 020035 (2022) doi: <https://doi.org/10.1063/5.0095183>

Abstract ▾

View article

PDF

An effective synthetic unit hydrograph in Lesti sub watershed, East Java, Indonesia

Adji Salsabila Imaniar; Ernawan Setyono; Lourina Evanale Orfa

AIP Conference Proceedings 2453, 020036 (2022) doi: <https://doi.org/10.1063/5.0094405>

Abstract ▾

View article

PDF

Measurement of discharge in open channels: A case study of laboratory discharge calibration model

Moh Abduh

AIP Conference Proceedings 2453, 020037 (2022) doi: <https://doi.org/10.1063/5.0094277>

Abstract ▾

View article

PDF

Consideration factors of reverse logistics adoption in Indonesian electronic industry

Ilyas Masudin; Dian Respati; Fien Zulfikarjah; Dian Palupi Restuputri

AIP Conference Proceedings 2453, 020038 (2022) doi: <https://doi.org/10.1063/5.0094253>

Abstract ▾

View article

PDF

Routing of frozen food delivery using particle swarm optimization algorithm

Anissa Kesy Garside; Luki Trihardani; Baiq Nurul Izzah Farida Ramadhani; Amelia Khoidir

AIP Conference Proceedings 2453, 020039 (2022) doi: <https://doi.org/10.1063/5.0094282>

Abstract ▾

View article

PDF

An effective hybrid crow search algorithm for energy-efficient flow shop scheduling

Dana Marsetiya Utama

AIP Conference Proceedings 2453, 020040 (2022) doi: <https://doi.org/10.1063/5.0094254>

Abstract ▾

View article

PDF

Supplier selection utilizing fuzzy-AHP and PROMETHEE: A case study in garment industry

Ikhlusal Amallynda; Rio Anray Tama Hidayatulloh; Dana Marsetiya Utama

AIP Conference Proceedings 2453, 020041 (2022) doi: <https://doi.org/10.1063/5.0094601>

Abstract ▾

View article

PDF

Customer satisfaction assessment using Webqual and CZIPA

Shanty Kusuma Dewi; Rizky Adina; Teguh Baroto

AIP Conference Proceedings 2453, 020042 (2022) doi: <https://doi.org/10.1063/5.0094478>

Abstract ▾

View article

PDF

Increasing the added value of environmentally friendly fish processing utilizing a dynamic system model

Ahmad Mubin; Lintang Gesik Hanggar Irmada; Ikhlusal Amallynda

AIP Conference Proceedings 2453, 020043 (2022) doi: <https://doi.org/10.1063/5.0094616>

Abstract ▾

View article

PDF

Green supplier selection and order allocation using AHP-SAW and goal programming

Teguh Baroto; Dana Marsetiya Utama; M. Faisal Ibrahim

AIP Conference Proceedings 2453, 020044 (2022) doi: <https://doi.org/10.1063/5.0094252>

Abstract ▾

View article

PDF

Reducing defective products using six sigma for production process improvement

Shanty Kusuma Dewi; Rizky Dwi Salindri Ayu Widodo; Mohammad Lukman

AIP Conference Proceedings 2453, 020045 (2022) doi: <https://doi.org/10.1063/5.0094477>

Abstract ▾

View article

PDF

Mobile news applications quality analysis using web quality and importance performance analysis

Adhi Nugraha; Ihsan Gazali Kuswanto; Dana Marsetiya Utama

AIP Conference Proceedings 2453, 020046 (2022) doi: <https://doi.org/10.1063/5.0094829>

Abstract ▾

View article

PDF

Evaluation of aircraft cabin comfort: Contributing factors, dissatisfaction indicators, and degrees of influence

[Dian Palupi Restuputri](#); [Kintan Purnamasari](#); [Nur Afni](#); [Sabrina Legtria](#); [Evie Shoffiah](#); [Maya Septia](#); [Ilyas Masudin](#)

AIP Conference Proceedings 2453, 020047 (2022) doi: <https://doi.org/10.1063/5.0094297>

[Abstract](#) ▾

[View article](#)

[PDF](#)

Industrial area weighbridge simulation model considering vehicle capacity and destination using arena software

[Muhammad Faisal Ibrahim](#); [Maulin Masyito Putri](#); [Dwi Novita Sari](#); [Dana Marsetiya Utama](#)

AIP Conference Proceedings 2453, 020048 (2022) doi: <https://doi.org/10.1063/5.0094266>

[Abstract](#) ▾

[View article](#)

[PDF](#)

Integrated analytic hierarchy process and preference ranking organization method for enrichment evaluation II for supplier selection

[Rahmad Wisnu Wardana](#); [Annisa Kesy Garside](#); [Adhitya Tri Anggara](#)

AIP Conference Proceedings 2453, 020049 (2022) doi: <https://doi.org/10.1063/5.0094738>

[Abstract](#) ▾

[View article](#)

[PDF](#)

Improving the efficiency of SPWM (sinusoidal pulse with modulation)-based DC-AC converter and conduction mode on renewable energy

[Machmud Effendy](#); [Muhammad Najmin Nuha](#); [Widianto](#)

AIP Conference Proceedings 2453, 020050 (2022) doi: <https://doi.org/10.1063/5.0094927>

[Abstract](#) ▾

[View article](#)

[PDF](#)

Hierarchical smart meter data hub initiative for enabling IoT based smart grid in Indonesia

[Muhammad Nasar](#); [David Raisz](#)

AIP Conference Proceedings 2453, 020051 (2022) doi: <https://doi.org/10.1063/5.0094764>

[Abstract](#) ▾

[View article](#)

[PDF](#)

Sentiment analysis of Covid-19 vaccine tweets utilizing Naive Bayes

[Abdurrahim Abdurrahim](#); [Lailis Syafa'ah](#); [Merinda Lestandy](#)

AIP Conference Proceedings 2453, 020052 (2022) doi: <https://doi.org/10.1063/5.0094607>

[Abstract](#) ▾

[View article](#)

[PDF](#)

Early detection of breast cancer in histopathology images employing convolutional neural network (CNN)

[Putri Khalifa Hilalayah](#); [M. Irfan](#); [Merinda Lestandy](#)

AIP Conference Proceedings 2453, 020053 (2022) doi: <https://doi.org/10.1063/5.0094608>

[Abstract](#) ▾

[View article](#)

[PDF](#)

Detection of heart valve function disorders with artificial neural network (ANN) algorithm

[Muhammad Bara Al Farisyi](#); [Muhammad Irfan](#); [Amrul Faruq](#)

AIP Conference Proceedings 2453, 020054 (2022) doi: <https://doi.org/10.1063/5.0094389>

[Abstract](#) ▾

[View article](#)

[PDF](#)

Face mask detection utilizing "You only look one (YOLOV3)" for Covid-19 response

[Mohamad Al Fikih](#); [Tri Septiana Nadia Puspita Putri](#); [Nur Kasan](#); [Novendra Setyawan](#)

AIP Conference Proceedings 2453, 020055 (2022) doi: <https://doi.org/10.1063/5.0094468>

[Abstract](#) ▾

[View article](#)

[PDF](#)

Public health face mask detection of Covid-19 utilizing convolutional neural network (CNN)

[Tri Septiana Nadia Puspita Putri](#); [Mohamad Al Fikih](#); [Nur Kasan](#); [Novendra Setyawan](#)

AIP Conference Proceedings 2453, 020056 (2022) doi: <https://doi.org/10.1063/5.0094485>

[Abstract](#) ▾

[View article](#)

[PDF](#)

K-nearest neighbor imputation for missing value in hepatitis data

[Ariлин Surya Alianso](#); [Lailis Syafaah](#); [Amrul Faruq](#)

AIP Conference Proceedings 2453, 020057 (2022) doi: <https://doi.org/10.1063/5.0095625>

[Abstract](#) ▾

[View article](#)

[PDF](#)

ZMP fuzzy implementation for robot stability optimization

[Inda Rusdia Sofiani](#); [Nurkasari](#); [Ghufron Wahyu Kurniawan](#)

AIP Conference Proceedings 2453, 020058 (2022) doi: <https://doi.org/10.1063/5.0094504>

[Abstract](#) ▾

[View article](#)

[PDF](#)

Delay analysis in HCMOS logic ICs

Widianto; Robert Lis

AIP Conference Proceedings 2453, 020059 (2022) doi: <https://doi.org/10.1063/5.0094353>

Abstract ▾

View article

PDF

Cascaded linear regulator application with positive voltage tracking switching regulator

Taufik; Brandon Nghe; Arief Hernadi; Rini Nur Hasanah; Lailis Syafaah

AIP Conference Proceedings 2453, 020060 (2022) doi: <https://doi.org/10.1063/5.0094615>

Abstract ▾

View article

PDF

Coordination analysis of protection relay settings utilizing particle swarm optimization method

Diding Suhardi; Ilham Pakaya; Rienaldi Putra; Amrul Faruq

AIP Conference Proceedings 2453, 020061 (2022) doi: <https://doi.org/10.1063/5.0094251>

Abstract ▾

View article

PDF

Optimization of unit commitment considering carbon gas emission reduction utilizing firefly algorithm

Diding Suhardi; Ilham Pakaya; R. Noor Muhammad; Amrul Faruq

AIP Conference Proceedings 2453, 020062 (2022) doi: <https://doi.org/10.1063/5.0095212>

Abstract ▾

View article

PDF

Autonomous car steering control and sign detection utilizing Haar Cascade and PID

Mohammad Chasrun Hasani; Rochmat Jaya Putra; Novendra Setyawan

AIP Conference Proceedings 2453, 020063 (2022) doi: <https://doi.org/10.1063/5.0094256>

Abstract ▾

View article

PDF

Economic dispatch of IEEE 26 bus with transmission losses employing a modified cuckoo optimization algorithm (MCOA) method

Faris Adi Saputro; Ermanu Azizul Hakim; Novendra Setyawan

AIP Conference Proceedings 2453, 020064 (2022) doi: <https://doi.org/10.1063/5.0094487>

Abstract ▾

View article

PDF

Improvement reliability index at distribution system in Nguling feeders with recloser placement optimization utilizing genetic algorithm

Ilham Pakaya; Zulfatman; Mochamad Baitur Rizqi

AIP Conference Proceedings 2453, 020065 (2022) doi: <https://doi.org/10.1063/5.0095226>

Abstract ▾

View article

PDF

Voltage and frequency control of self-excited induction generator utilizing PI-ANFIS controller

Zulfatman; Abdillah Haris Suryadi; Ilham Pakaya

AIP Conference Proceedings 2453, 020066 (2022) doi: <https://doi.org/10.1063/5.0094647>

Abstract ▾

View article

PDF

Smart control design for lithium-ion LIR 18650 battery charger with ohmic drop compensation (ODC) method

Imam Saukani

AIP Conference Proceedings 2453, 020067 (2022) doi: <https://doi.org/10.1063/5.0094394>

Abstract ▾

View article

PDF

The correlation of financial risk variables on project construction budget infrastructure in Aceh

Ikhlas Kurniawan; Anita Rauzana; Alfa Taras Bulba

AIP Conference Proceedings 2453, 020068 (2022) doi: <https://doi.org/10.1063/5.0094275>

Abstract ▾

View article

PDF

Physicochemical, color, and sensory characteristics of cacao instant drink with addition of buni and cinnamons blends

Muhammad Yusuf; UA Fitriani Nur; Syahriati

AIP Conference Proceedings 2453, 020069 (2022) doi: <https://doi.org/10.1063/5.0094279>

Abstract ▾

View article

PDF

Effects of spray-drying conditions on the physical properties, colour, anthocyanin and Cyanidin 3-O—glucoside of rosella microcapsules

UA Fitriani Nur; Rahmawati Saleh; Mursida; Rosmaladewi; Muhammad Yusuf

AIP Conference Proceedings 2453, 020070 (2022) doi: <https://doi.org/10.1063/5.0094272>

Abstract ▾

View article

PDF

Evaluating risks in Ho Chi Minh city urban railway project using analytic network process

[Phu Quang Tran](#); [Thao Thi Yen Huynh](#); [Thanh Trung Dang](#); [Nhu Thi Quynh Tran](#); [Phong Thanh Nguyen](#)

AIP Conference Proceedings 2453, 020071 (2022) doi: <https://doi.org/10.1063/5.0094243>

[Abstract](#) ▾

[View article](#)

[PDF](#)

The comparison of using RC and steel structures on arch structure of concert hall

[R. Adhi Setya Primaulia](#); [Muttaqin Hasan](#); [Abdullah](#)

AIP Conference Proceedings 2453, 020072 (2022) doi: <https://doi.org/10.1063/5.0094260>

[Abstract](#) ▾

[View article](#)

[PDF](#)

Application of green architecture concepts in Wanakota apartments

[A. Andiyan](#); [Abdul Gani Alfarizi](#)

AIP Conference Proceedings 2453, 020073 (2022) doi: <https://doi.org/10.1063/5.0094255>

[Abstract](#) ▾

[View article](#)

[PDF](#)

Synthesis of nickel-cobalt impregnated catalyst using geothermal waste for hydrogen production

[John Philia](#); [W Widayat](#); [S Sulardjaka](#)

AIP Conference Proceedings 2453, 020074 (2022) doi: <https://doi.org/10.1063/5.0094756>

[Abstract](#) ▾

[View article](#)

[PDF](#)

Microstrip rectangular patch antenna design for Medan aviation polytechnic ADS-B receiver technology

[Maksum Pinem](#); [Afandi Sahputra](#); [Ali Hanafiah Rambe](#); [Habib Muharry Yusdartono](#)

AIP Conference Proceedings 2453, 020075 (2022) doi: <https://doi.org/10.1063/5.0094258>

[Abstract](#) ▾

[View article](#)

[PDF](#)

Parking sensor design with automatic braking

[Rahmad Hidayat](#); [Muntyono](#); [Herawati](#); [Salamatul Afiyah](#); [Idah Wahidah](#); [Sudarmanto](#)

AIP Conference Proceedings 2453, 020076 (2022) doi: <https://doi.org/10.1063/5.0094466>

[Abstract](#) ▾

[View article](#)

[PDF](#)

Oil and gas characteristics of coal with pyrolysis process

[Widayat](#); [Hantoro Satriadi](#); [Luthfi Prananta Wibawa](#); [Glenn Faishal Hanif](#); [Mochammad Qomaruddin](#)

AIP Conference Proceedings 2453, 020077 (2022) doi: <https://doi.org/10.1063/5.0094759>

[Abstract](#) ▾

[View article](#)

[PDF](#)

Optimization heat integration of preliminary plant design of styrene monomer into polystyrene

[Rosyad Adrian Febriansyar](#); [Nadya Umami Azizah](#); [Widayat](#)

AIP Conference Proceedings 2453, 020078 (2022) doi: <https://doi.org/10.1063/5.0094754>

[Abstract](#) ▾

[View article](#)

[PDF](#)

Physical properties test peel off gel mask based of date palm seeds powder (phoenix dactylifera) and olive oil

[Uce Lestari](#); [Faizar Farid](#); [Yuliawati](#)

AIP Conference Proceedings 2453, 020079 (2022) doi: <https://doi.org/10.1063/5.0095458>

[Abstract](#) ▾

[View article](#)

[PDF](#)

COMPUTER SCIENCE

30 visualisation of historical site "Sumberawan temple" preservation utilizing virtual reality technology

[Ali Sofyan Kholimi](#); [Arif Kurniawan](#); [Eko Budi Cahyono](#); [Lailatul Husniah](#)

AIP Conference Proceedings 2453, 030001 (2022) doi: <https://doi.org/10.1063/5.0095173>

[Abstract](#) ▾

[View article](#)

[PDF](#)

Human activity recognition utilizing SVM algorithm with gridsearch

[Wahyu Andhyka Kusuma](#); [Agus Eko Minarno](#); [Nia Dwi Nurul Safitri](#)

AIP Conference Proceedings 2453, 030002 (2022) doi: <https://doi.org/10.1063/5.0096708>

[Abstract](#) ▾

[View article](#)

[PDF](#)

Classification of activity on the human activity recognition dataset using logistic regression

[Agus Eko Minarno](#); [Wahyu Andhyka Kusuma](#); [Rizalwan Ardi Ramandita](#)

AIP Conference Proceedings 2453, 030003 (2022) doi: <https://doi.org/10.1063/5.0094789>

[Abstract](#) ▾

[View article](#)

[PDF](#)

Optimal determination of unit commitments based on emission and economic aspects utilizing HSABC algorithm

Arif Nur Afandi; Feby Agung Pamuji; A. Asri; Ferdian Ronilaya; Machrus Ali; Miftachul Ulum; Ni Made Ary Esta Dewi Wirastuti

AIP Conference Proceedings 2453, 030004 (2022) doi: <https://doi.org/10.1063/5.0095080>

Abstract ▾

View article

PDF

Performance evaluation of micro-hydro power plant based on a case study of 2 × 650 kW

Garry Asattar Candrasa; Arif Nur Afandi; A. Aripriharta

AIP Conference Proceedings 2453, 030005 (2022) doi: <https://doi.org/10.1063/5.0095075>

Abstract ▾

View article

PDF

Comparison of feature selection method in movie classification utilizing Naïve Bayes classifier

Gita Indah Marthasari; Christian Sri Kusuma Aditya; Muhammad Muzakir Subagio

AIP Conference Proceedings 2453, 030006 (2022) doi: <https://doi.org/10.1063/5.0094436>

Abstract ▾

View article

PDF

Automatic transfer switch design utilizing NodeMCU ESP8266 based on internet of things (IoT)

Ahmad Badrul Huda; Arif Nur Afandi

AIP Conference Proceedings 2453, 030007 (2022) doi: <https://doi.org/10.1063/5.0095085>

Abstract ▾

View article

PDF

Modification of RC4 algorithm utilizing the two-state table and initial state factorial

A. Aminudin; Ilyas Nuryasin

AIP Conference Proceedings 2453, 030008 (2022) doi: <https://doi.org/10.1063/5.0095181>

Abstract ▾

View article

PDF

A usability evaluation model of reddoorz and Oyo Rooms mobile applications based on people at the center of mobile application development (PACMAD)

Gita Indah Marthasari; Evi Dwi Wahyuni; Briansyah Setyo Wiyono; Adinda Jelfani

AIP Conference Proceedings 2453, 030009 (2022) doi: <https://doi.org/10.1063/5.0094440>

Abstract ▾

View article

PDF

IoT based PJUTS performance monitoring system utilizing extended star topology

Hartawan Abdillah; Arif Nur Afandi; Mokh. Sholihul Hadi; Aji Prasetya Wibawa; Adim Firmansah; Moh. Zainul Falah

AIP Conference Proceedings 2453, 030010 (2022) doi: <https://doi.org/10.1063/5.0095068>

Abstract ▾

View article

PDF

Classifying cyberbullying data on Indonesian social media feeds utilizing sentiment analysis technique with decision tree model

Veronica Retno Sari; Nur Hayatin; Yufis Azhar

AIP Conference Proceedings 2453, 030011 (2022) doi: <https://doi.org/10.1063/5.0094675>

Abstract ▾

View article

PDF

Password authenticated key exchange protocol for secure communication channel in modern honey network

Mahar Faiqurahman; S. Syaifuddin

AIP Conference Proceedings 2453, 030012 (2022) doi: <https://doi.org/10.1063/5.0094442>

Abstract ▾

View article

PDF

E-filing acceptance employing technology acceptance model and theory of planned behavior

Vinna Rahmayanti Setyaning Nastiti; Evi Dwi Wahyuni; Gita Indah Marthasari; Belli Kafilla Gani

AIP Conference Proceedings 2453, 030013 (2022) doi: <https://doi.org/10.1063/5.0095190>

Abstract ▾

View article

PDF

Usability evaluation utilizing SUS (system usability scale) method and correlation determination with student graduation rate

Nur Riyan Sahara; Gita Indah Marthasari; Briansyah Setyo Wiyono

AIP Conference Proceedings 2453, 030014 (2022) doi: <https://doi.org/10.1063/5.0095207>

Abstract ▾

View article

PDF

Augmented reality as a media for Reog Ponorogo art figure introduction

Evi Dwi Wahyuni; Danang Agung Permadi; Eko Budi Cahyono

AIP Conference Proceedings 2453, 030015 (2022) doi: <https://doi.org/10.1063/5.0095176>

[Abstract](#) [View article](#) [PDF](#)

Analysis of failover mechanism in SDN

Fauzi Dwi Setiawan Sumadi; Jurdan Wahyu Adi Saputra; Mahar Faiqurahman

AIP Conference Proceedings 2453, 030016 (2022) doi: <https://doi.org/10.1063/5.0094300>

[Abstract](#) [View article](#) [PDF](#)

Design and implementation of smartphone-based *Iqra* learning applications during the pandemic

Hariyady Hariyady; Ali Softyan Kholimi; Najmuddin Tsaqib; Mochamad Alghifary Syaichul Rijal

AIP Conference Proceedings 2453, 030017 (2022) doi: <https://doi.org/10.1063/5.0095191>

[Abstract](#) [View article](#) [PDF](#)

Comparison analysis of Rabin-Karp and Winnowing algorithms in automated essay answer assessment system

Titan Tawang Ilal Billhaqqi; Galih Wasis Wicaksono; Christian Sri Kusuma Aditya

AIP Conference Proceedings 2453, 030018 (2022) doi: <https://doi.org/10.1063/5.0095186>

[Abstract](#) [View article](#) [PDF](#)

Decision support system for selection of food aid recipients using SAW method

Victor Marudut Mulia Siregar; Irmayanti; Eva Julyanti; Nurlina Ariani Hrp; Maya Jannah; Elviana Sagala; Nancy Florida Siagian; Haji Saediman; Andini Dani Achmad; Abdul Samad Arief

AIP Conference Proceedings 2453, 030019 (2022) doi: <https://doi.org/10.1063/5.0094385>

[Abstract](#) [View article](#) [PDF](#)

Decision support system with MOORA method in selection of the best teachers

Novendra Adisaputra Sinaga; Heru Sugara; Ewin Johan Sembiring; Melva Epy Mardiana Manurung; Harsudianto Silaen; Pipin Sumantrie; Victor Marudut Mulia Siregar

AIP Conference Proceedings 2453, 030020 (2022) doi: <https://doi.org/10.1063/5.0094437>

[Abstract](#) [View article](#) [PDF](#)

Choice model and influencing factors of the travel mode for motorcycle and BRT-lite in Banda Aceh, Indonesia

Sugianto Sugianto; Miftahul Jannah Huta Barat; Sofyan M. Saleh; Ashfa Achmad; Irham Iskandar

AIP Conference Proceedings 2453, 030021 (2022) doi: <https://doi.org/10.1063/5.0094356>

[Abstract](#) [View article](#) [PDF](#)

Evaluation of applied service strategy using ITILv3 framework - A case study on a machinery company

Evaristus Didik Madyatmadja; Jason Alexander; Johannes Fernandes Andry; Hendy Tannady

AIP Conference Proceedings 2453, 030022 (2022) doi: <https://doi.org/10.1063/5.0094622>

[Abstract](#) [View article](#) [PDF](#)

The prospects of using artificial intelligence in retail billing in India

Bhuvanewari Balachander; S. Vijayalakshmi; Usha Sadasivan; D. Dhanasekaran

AIP Conference Proceedings 2453, 030023 (2022) doi: <https://doi.org/10.1063/5.0094273>

[Abstract](#) [View article](#) [PDF](#)

The effect of the use of electronic learning aid on student satisfaction with online learning

Ahmad Nurkhin; S. Martono; K. Kardoyo; M. Muhsin; A. Algifari

AIP Conference Proceedings 2453, 030024 (2022) doi: <https://doi.org/10.1063/5.0094632>

[Abstract](#) [View article](#) [PDF](#)

Fundamentals of UX/UI design in professional preparation of the future bachelor of computer science

Hanna Chemerys; Muhammet Demirbilek; Hanna Bryantseva; Sergii Sharov; Svitlana Podpiola

AIP Conference Proceedings 2453, 030025 (2022) doi: <https://doi.org/10.1063/5.0094433>

[Abstract](#) [View article](#) [PDF](#)

STEAM project based learning for future designers

Hanna Chemerys; Olga Ponomarenko; Volodymyr Kardashov; Olexandr Briantsev

AIP Conference Proceedings 2453, 030026 (2022) doi: <https://doi.org/10.1063/5.0094432>

[Abstract](#) [View article](#) [PDF](#)

TRANSPORT ENGINEERING

Develop evaluation criteria to support the selection of construction engineering subcontractors

[Thu Anh Nguyen](#); [Y Thanh Pham](#); [Phuong Thanh Phan](#); [Phong Thanh Nguyen](#); [Cuong Phu Pham](#)

AIP Conference Proceedings 2453, 040001 (2022) doi: <https://doi.org/10.1063/5.0100176>

[Abstract](#) ▾

[View article](#)

[PDF](#)

Key factors affecting the development of intelligent transportation systems in Ho Chi Minh City

[Phong Thanh Nguyen](#); [Thang Huynh Tat Tran](#); [Thu Anh Nguyen](#)

AIP Conference Proceedings 2453, 040002 (2022) doi: <https://doi.org/10.1063/5.0094244>

[Abstract](#) ▾

[View article](#)

[PDF](#)

RESEARCH ARTICLE | JULY 25 2022

Industrial area weighbridge simulation model considering vehicle capacity and destination using arena software

Muhammad Faisal Ibrahim ; Maulin Masyito Putri; Dwi Novita Sari; ... et. al



AIP Conference Proceedings 2453, 020048 (2022)

<https://doi.org/10.1063/5.0094266>



CrossMark

Articles You May Be Interested In

Volume measurement of oil palm fresh fruit bunches using computer vision

AIP Conference Proceedings (September 2022)

Radio frequency identification and composite container technology demonstration for transporting logistics of wood biomass

Journal of Renewable and Sustainable Energy (January 2014)

Single and multi destinations trees for routing applications

AIP Conference Proceedings (March 2015)



Time to get excited.
Lock-in Amplifiers – from DC to 8.5 GHz

[Find out more](#)

Industrial Area Weighbridge Simulation Model Considering Vehicle Capacity and Destination Using Arena Software

Muhammad Faisal Ibrahim¹⁾, Maulin Masyito Putri¹⁾, Dwi Novita Sari¹⁾, Dana Marsetiya Utama^{2,b)}

¹⁾*Department of Logistics Engineering, Universitas Internasional Semen Indonesia, Gresik, Indonesia*

²⁾*Department of Industrial Engineering, Universitas Muhammadiyah Malang, Malang, Indonesia*

Corresponding author: ^{a)}faisalibrahim.ie@gmail.com

^{b)}dana@umm.ac.id

Abstract. Prolonged waiting times in weighbridge services are deemed essential and negatively influence the quality of weighbridge services. This problem is feasibly overcome by improving weighbridge services using discrete event modeling and simulation of system processes. This research is based on the weighbridge of a company in Gresik. To date, the weighbridge has been hectic serving the weighing of trucks both from within and neighboring companies. In this article, the simulation model represents the weighbridge service process implementing Rockwell Arena software. Process barriers are identified, and resource allocation adjustments are made without disrupting the existing system. An assignment arrangement for each weighbridge is proposed to reduce the average waiting time for all weighbridges through the three proposed improvement models. It was navigated that the weighbridge assignment arrangement could maintain the utility of all weighbridges in a relatively small difference to reduce the average waiting time.

INTRODUCTION

A company generally utilizes distribution in its goods or services from producers to consumers [1, 2]. Besides, the company's distribution facilities and infrastructure also affect whether the goods or services reach consumers. Each truck's load is measured using a weighbridge in the distribution process, especially on land routes. Weighing is intended to prove that the truckload is as it should be distributed. Thus, a weighbridge is thus important as a means of controlling a distribution activity. Therefore, this study aims to determine the quality of service from the object of the study by identifying possible obstacles and adjusting the allocation of resources. According to Marshall and Murphy [3], weighbridges in truck scaling have been increasingly popular because the average log size is smaller, requiring individual scale. The weighbridge is a permanent or portable set of vehicle/truck weighing equipment. To determine the weight of the vehicle and its cargo and monitor the cargo on transport vehicles.

A simulation method involves analyzing the weighbridge service process and developing alternative solutions to reduce problems. The simulation method is deemed essential in solving problems in systems with high complexity [4]. Another consideration in this discipline lies in the selection of simulation software suitable for the research. Arena software has been widely implemented among various simulation software. Several researchers have applied Arena software in various disciplines, including Kamrani, et al. [5], developing a simulation model with Arena to analyse the two adjacent unsignalized T-junctions during rush hours. Another traffic simulation model at signaled intersections was conducted by Tama, et al. [6]. The simulation aims to determine the service time provided by a traffic light at a road junction. The queue of vehicles that occurs can immediately pass through the intersection to reduce the congestion. The input data include data on the time between arrivals, data on the number of queues in the system, data on the plan the object location, and data on the habits or system behaviour. In particular, Iskandar [7] developed simulation models to analyze the queuing service system at weigh stations. Researchers utilize Arena to describe the process of weighing services in loading and unloading activities at the port of the observed object. In this study, the results indicated that the arrival of trucks crossing the weighbridge is greater than the level of service time provided to the queue. In analyzing this queuing service system, the simulation assists the application of theory.

In other cases, a simulation model in the baggage security screening system has been developed by AlKheder, et al. [8]. Neeraj, et al. [9] develop a discrete simulation model of the manufacturing industry. Similarly, Emami, et al. [10] and Liong and Loo [11] have developed an Arena simulation model for unloading loading system in the warehouse. Research on factory layout analysis has been additionally conducted utilizing the Arena simulation model by [12]. Wang, et al. [13] conducted modeling and simulation of emergency services at the emergency

department of Saint Joseph and Saint Luc Hospital with ARIS and Arena. Previous research using Arena simulation models for facility design was conducted by Greasley [14]. Groenewoud [15] employing arena simulation in analyzing the supply chain system.

Based on previous research, simulation models with Arena are widely used to analyze various case studies with moderate to high system complexity levels. Thus, the Rockwell Arena software was preferred to analyze the problems in this study. In this article, a simulation model with Rockwell Arena software is designed to represent the weighbridge service process. This simulation method is thus appropriately used without disrupting the running system. The objectives of the paper are as follows: (1) To simulate and model the existing conditions of the weighing service process on the object of observation; (2) To identify and analyze the location of potential long queues of transport vehicles, especially at weighbridges with long waiting times; and (3) To navigate the potential improvements in the service process of weighing the object of observation, thereby expecting for more optimal outcome, preventing the long queues at one or several weighbridges.

METHODS

This article focuses on the simulation of a weighbridge service owned by a company in Gresik, East Java, Indonesia. The weighbridge is divided into two factory zones: weighbridge I and III in the first zone, and weighbridges II, IV, and V in the second zone the company's current condition does not have special rules in assigning weighbridges. The truck for the weighing is flexible to choose any weighbridge, arising the problems. There are long queues at particular weighbridges while several other bridges are in loose condition or presenting no queue. These long queues occur as there is no arrangement for trucks entering certain factory areas to weigh certain bridges, creating the utility of each weighbridge to be unbalanced and not optimal.

The task arrangement at each weighbridge is thus expected to overcome the queue problem and optimize each weighbridge. The arrangement is also expected to maintain the utility of all weighbridges with a relatively small difference. Besides, the waiting time for queues, which harms the quality of weighbridge services, is also expected to be reduced. Thus, in this study, the time study method was utilized to obtain the time distribution between the arrivals of transport vehicles. The simulation model is constructed with Arena software that describes the actual system, while the analysis is conducted on various possible conditions. As for the steps in this research, the first step is conducted to collect the required data. The utilized data include time for data between vehicle arrivals, weighing process time, loading-unloading, and travel time between locations. The second step is conducted to process the data into a distribution pattern with the input analyzer in the Arena software. Then, modeling the existing condition of the actual system with Arena software is conducted until verification and validation are conducted in the third step. The fourth step is continued and compared for improvement of scenarios. Furthermore, an in-depth analysis is conducted to navigate the best scenario.

The utilized data include records of truck arrivals for 24 hours (based on company-owned data). Data are also obtained regarding the length of service time at the weighbridge, loading and unloading process time, and vehicle travel time. Regarding the three data, this study utilizes the average time as observed. Observations were made for three days. In addition, the Input Analyzer in the Arena Software is employed to obtain the trucks' arrival time distribution pattern.

RESULTS AND DISCUSSION

Model Development

The existing condition of the service process of all weighbridges is modeled and simulated with Rockwell Arena software. The simulation model is illustrated in Figure 1, along with the model assumptions and elements in the system.




FIGURE 1. A simulation model with Arena Software

Assumptions of the Simulation Model

There are several assumptions in the development of this model. The observed weighbridges are assumed to be in good condition. The human resources are required, assumed to be available, presenting no accidents at work. The service process and the maximum load weight at all weighbridges are assumed to be similar.

The Proposed Model and its Elements

In this model, the vehicle becomes an entity, and data of all vehicles that enter the system are processed and described by one CREATE module to simulate the arrival of transport vehicles into the system. The ASSIGN module assigns specific attribute values to entities such as the vehicle destination and capacity. The weighing process at the weighbridges and the loading-unloading process at the warehouse are simulated with the PROCESS module. As previously discussed, incoming transport vehicles will choose to weigh to one of the selected weighbridges, leading to the destination warehouse destination. Likewise, upon completing the loading and unloading process at the destination warehouse, the transport vehicle is re-weighed at a similar weighbridge. The DECIDE module is utilized to determine the destination of the entity, conducted in accordance with the specific probabilities or conditions.

DELAY module is utilized to suspend the entity at a specific time, where the delay time has been set, and the entity remains in the module for a certain time. In this simulation model, the DELAY module represents the required time for a vehicle to travel from the weighbridge to the warehouse or vice versa. There are two types of DELAY modules, the first is for truck trips from weighbridges to respective warehouses and the second is for the truck travels from the warehouse back to the original weighbridge. Determination of the time in DELAY modules for the system considers the distance and velocity of an entity to produce a route time of the entity movement. The DISPOSE module is set when the vehicle reaches the endpoint where the entity will exit the system. Further explanation for each element of the model is presented as follows.

1. CREATE Module

In the model, there is one arrival vehicle represented by the Create module, named as "Truck Arrival" with the expression of $-0.001 + \text{EXPO}(1.99)$ minutes". The CREATE module functions to create a starting point for generating entity arrivals in the simulation model.

2. PROCESS Module

The PROCESS module is used to model service times at weighbridge and loading-unloading times at warehouses. Table. 1 describes all PROCESS modules. Assuming the equipment is in good condition, workers are always available, and there are no accidents. The capacity per service of each weighbridge in the process module is one because the weighbridge can only serve one truck at a time.

TABLE 1. List of PROCESS Modules

Name	Resources - Capacity	Action	Delay type	Expression
Empty Weighing 1	Resources WB Tool 1 - 1	Seize Delay Release	Constant	3 minutes
Empty Weighing 2	Resources WB Tool 2 - 1	Seize Delay Release	Constant	3 minutes
Empty Weighing 3	Resources WB Tool 3 - 1	Seize Delay Release	Constant	3 minutes
Empty Weighing 4	Resources WB Tool 4 - 1	Seize Delay Release	Constant	3 minutes
Empty Weighing 5	Resources WB Tool 5 - 1	Seize Delay Release	Constant	3 minutes
Weighing 1	Resources WB Tool 1 - 1	Seize Delay Release	Constant	3 minutes
Weighing 2	Resources WB Tool 2 - 1	Seize Delay Release	Constant	3 minutes
Weighing 3	Resources WB Tool 3 - 1	Seize Delay Release	Constant	3 minutes

Name	Resources - Capacity	Action	Delay type	Expression
Weighing 4	Resources WB Tool 4 - 1	Seize Delay Release	Constant	3 minutes
Weighing 5	Resources WB Tool 5 - 1	Seize Delay Release	Constant	3 minutes
Loading-unloading W1	Set Tool W1 - 1, Random	Seize Delay Release	Constant	43 minutes
Loading-unloading W2	Set Tool W2 - 1, Random	Seize Delay Release	Constant	43 minutes
Loading-unloading W3	Set Tool W3 - 1, Random	Seize Delay Release	Constant	43 minutes
Loading-unloading W4	Set Tool W4 - 1, Random	Seize Delay Release	Constant	43 minutes
Loading-unloading W5	Set Tool W5 - 1, Random	Seize Delay Release	Constant	43 minutes
Loading-unloading W6	Set Tool W6 - 1, Random	Seize Delay Release	Constant	43 minutes
Loading-unloading W7	Set Tool W7 - 1, Random	Seize Delay Release	Constant	43 minutes
Loading-unloading W8	Set Tool W8 - 1, Random	Seize Delay Release	Constant	43 minutes
Loading-unloading W9	Set Tool W9 - 1, Random	Seize Delay Release	Constant	43 minutes
Loading-unloading W10	Set Tool W10 - 1, Random	Seize Delay Release	Constant	43 minutes
Loading-unloading W11	Set Tool W11 - 1, Random	Seize Delay Release	Constant	43 minutes
Loading-unloading W12	Set Tool W12 - 1, Random	Seize Delay Release	Constant	43 minutes
Loading-unloading W13	Set Tool W13 - 1, Random	Seize Delay Release	Constant	43 minutes
Loading-unloading W14	Set Tool W14 - 1, Random	Seize Delay Release	Constant	43 minutes
Loading-unloading W15	Set Tool W15 - 1, Random	Seize Delay Release	Constant	43 minutes
Loading-unloading W16	Set Tool W16 - 1, Random	Seize Delay Release	Constant	43 minutes

3. DECIDE Module

In the developed model, the Decide module represents the probability of the transport vehicle's destination location. Previously, the objective data had been collected and processed to predict each visited destination. All the DECIDE modules and their provisions are illustrated in Table 2.

TABLE 2. List of DECIDE Modules

Name	Type	Percentages / Conditions
Destination Warehouse Probability	N-way by Chance	5;3;4;6;9;1;2;23;2;2;0.3;1;2;4;6;28
Destination Zone 1	2 -way by Chance	28
Weigh at WB 1	2 -way by Chance	70
Destination Zone 2	2 -way by Chance	100
Weigh at WB 2	2 -way by Chance	49
Weigh at WB 4	2 -way by Chance	13
Determination of Destination Warehouse	N-way by Condition Attribute (Destination Warehouse)	Destination_warehouse == 1; Destination_warehouse == 2; Destination_warehouse == 3; Destination_warehouse == 4; Destination_warehouse == 5; Destination_warehouse == 6; Destination_warehouse == 7; Destination_warehouse == 8; Destination_warehouse == 9; Destination_warehouse == 10; Destination_warehouse == 11; Destination_warehouse == 12; Destination_warehouse == 13; Destination_warehouse == 14; Destination_warehouse == 15; Destination_warehouse == 16.
Truck Returns to the Weighbridge	N-way by Condition Attribute (Truck WB)	Truck_WB == 1; Truck_WB == 2; Truck_WB == 3; Truck_WB == 4; Truck_WB == 5.

4. DELAY Module

In this case, the DELAY module is utilized to describe a unit of vehicle travel time. Travel time refers to the truck time from the weigh stations to their respective warehouses and vice versa. In this study, all travel times are still assumed to have similar time value.

5. ASSIGN and DISPOSE Module

The ASSIGN module is utilized to add attribute data related to the destination warehouse for each vehicle. In addition, this module also adds attribute data related to the destination weighbridge. The DISPOSE module is utilized as follows: Exit Weigh Bridge 1, Exit Weigh Bridge 2, Exit Weigh Bridge 3, Exit Weigh Bridge 4, and Exit Weigh Bridge 5.

Validation

In this research, the utilized initial replication contains the 20 replications with a simulation time of 30 days. One approach to determine the number of replications includes the trial on the initial replication and calculation on the interval to estimate the population mean value (half-width) based on the replication sample [16]. After the calculation, it was navigated that the required number of repetitions was 18 repetitions. The employed data to test the simulation model validity includes the average queue of trucks and queue waiting time from each weighbridge.

The null hypothesis presents no significant difference between the real conditions and the existing simulation results ($\mu_1 = \mu_2$). The alternative hypothesis contains a significant difference between the real conditions and the existing simulation results ($\mu_1 \neq \mu_2$). The results of the calculation of the hypothesis test for each weighbridge are illustrated in Table 3. The conclusion provides adequate evidence of no significant difference between the existing conditions and the existing simulation results. Based on the conducted statistical tests, it is concluded that the constructed simulation model is valid.

TABLE 3. Hypothesis Test Results

Spt	Average Queuing					Queue Average Waiting Time				
	WB 1	WB 2	WB 3	WB 4	WB 5	WB 1	WB 2	WB 3	WB 4	WB 5
	0.5837	77.87039	0.45733	0.571661	0.576532	10.3596	2721.421	0.286023	0.696044	22.75016
	0.383096	0.029812	0.97788	0.782304	1.695827	0.053	0.000843	1.448835	0.96376	0.066322

Improvement Scenario

Zoning is probable for inconsideration in this improvement scenario because the distance between zone 1 and zone 2 is relatively close. In the first improvement scenario, trucks going to warehouse 6 were initially only served by weighbridge 2, further changed to be served by weighbridge 1 and 3. Shifting was due to the tight queues at weighbridge 2 and the looseness in weighbridge 1 and 3. In addition, another consideration was undertaken because the three weighbridges had the same maximum tonnage weight, which was 70 tons. In addition, trucks going to Warehouse 16 were initially served by weighbridge 5, further altered to be served by weighbridge 4, due to the closeness of the two weighbridges. It is expected that such a scenario provides an option if one of the weighbridges is dense.

In the second improvement scenario, trucks heading to warehouse 5 were initially served by weighbridge 2. The change was made to be served only at weighbridge 3, due to the dense queues at the weighbridges 2. In addition, vehicles heading to warehouse 5 had a short inter-arrival time, thereby predicting to reduce queues at weighbridge 2. On the other hand, trucks heading to warehouse 16 were initially only served by weighbridge 5, further served by weighbridge 4.

In the third improvement scenario, trucks heading to warehouse 7 were initially served by weighbridge 2, further changed to be served by weighbridge 4, due to the dense queues at weighbridge 2 and the closest distance to weighbridge 4. Trucks heading to warehouse 7 had a short time between arrivals, thus changes are predicted to reduce queues at weighbridge 2. Trucks heading to warehouses 14 and 16 at this time can weigh at weighbridge 4 and weighbridge 5. Table 4 illustrates the proposed weighbridge assignment scenario. The selection of the best scenario was undertaken by comparing the average number of queues at each weighbridge. A recap of the average queue at each weighbridge is illustrated in Table 5.

TABLE 4. Improvement scenario

	WB 1	WB 3	WB 2	WB 4	WB 5
Existing	WH1, WH2, WH3, WH4	WH9,WH10,WH11,W H12,WH13	WH5,WH6,WH7, WH8	WH14, WH15	WH16
Scenario 1	WH1, WH2, WH3, WH4, WH6	WH6,WH9,WH10, WH11,WH12,WH13	WH5,WH7,WH8	WH14, WH15, WH16	WH16
Scenario 2	WH 1, WH2, WH3, WH4	WH5,WH9,WH10,WH 11,WH12,WH13	WH6,WH7,WH8	WH14, WH15, WH16	WH16
Scenario 3	WH 1, WH2, WH3, WH4	WH9,WH10,WH11,W H12,WH13	WH5, WH6, WH8	WH7,WH14, WH15, WH16	WH14,WH16

TABLE 5. Recapitulation of average queue number

	WB 1 (Truck)	WB 2 (Truck)	WB 3 (Truck)	WB 4 (Truck)	WB 5 (Truck)
Scenario 1	2.44	12,971	1,278	1,222	1,833
Scenario 2	1.33	5,056	1,389	1,278	1,833
Scenario 3	1.33	10,013	0.667	2,056	2,278

In improvement scenario one, the number of queues at weighbridge two is reduced, but the number of queue length exceeds the 10 trucks. In improvement scenario 3, the number of queues for trucks at weighbridge two also decreased, but the number of queues length exceeds the 10 trucks. Whereas at weighbridge 3, the queue indicates fluctuation compared to other weighbridges. Meanwhile, improvement scenario 2 has a relatively greater number of queues. Weighbridge 2 has relatively fewer queues, for less than ten queues. This condition is ideal, and trucks are capable of weighing with less than ten queues of trucks. In addition, the queues for weighbridges 1,3,4, and 5 have

been relatively low, thereby preventing the disturbance of the traffic of other vehicles. Therefore, the chosen alternative offers the alternative improvement of scenario 2.

CONCLUSIONS

The service of five weighbridges is simulated with Software Arena for analysis and improvement. Existing conditions are analyzed to navigate specific models and logics. The required data for the model is collected, and its distribution pattern is searched. At the experimental stage, running was conducted, and the number of repetitions was identified. After the model was tested, it was apparent that there were long queues at weighbridge 2. On the other hand, at weighbridge 1, weighbridge 3, weighbridge 4, and weighbridge 5, the queues were relatively short. The three alternative improvement scenarios were developed by setting the weighbridge assignment. Thus, it is expected that the load will be more evenly distributed for each weighbridge. The result of the research indicates that improvement scenario 2 becomes the best scenario. The assignment of the designed scenario improvement 2 succeeded in minimizing the average truck queue at the weighbridge. In addition, scenario improvement 2 also succeeded in equalizing utility levels between weighbridges.

REFERENCES

1. M. F. Ibrahim, M. M. Putri, and D. M. Utama, "A literature review on reducing carbon emission from supply chain system: drivers, barriers, performance indicators, and practices," *IOP Conference Series: Materials Science and Engineering*, **722**, 012034 (2020).
2. D. M. Utama, S. K. Dewi, A. Wahid, and I. Santoso, "The vehicle routing problem for perishable goods: A systematic review," *Cogent Engineering*, **7** (1), 1816148 (2020).
3. H. Marshall and G. Murphy, "Factors Affecting the Accuracy of Weighbridge Systems," *International Journal of Forest Engineering*, **14** (1), 67-79 (2003).
4. M. F. Ibrahim, Y. S. Mardhiyyah, A. Rusdiansyah, M. K. Boer, and D. M. Utama, "A Three-Phased Perishable Inventory Simulation Model with Quality Decrease Consideration," *Jurnal Teknik Industri*, **19** (2), 198-211 (2020).
5. M. Kamrani, S. M. Hashemi Esmail Abadi, and S. Rahimpour Golroudbary, "Traffic simulation of two adjacent unsignalized T-junctions during rush hours using Arena software," *Simulation Modelling Practice and Theory*, **49**, 167-179 (2014).
6. I. P. Tama, R. A. Sari, and F. Umar, "Analisa Durasi Lampu Lalu Lintas Menggunakan Metode Simulasi," *Journal of Engineering and Management in Industrial System*, **4**, (2016).
7. T. Iskandar, "analisis sistem pelayanan antrian di jembatan timbang pt. Sadp gresik," *matrik (Manajemen dan Teknik Industri-Produksi)*, **16**, (2015).
8. S. AlKheder, A. Alomair, and B. Aladwani, "Hold baggage security screening system in Kuwait International Airport using Arena software," *Ain Shams Engineering Journal*, **11** (3), 687-696 (2020).
9. R. R. Neeraj, R. P. Nithin, P. Niranjhan, A. Sumesh, and M. Thenarasu, "Modelling and simulation of discrete manufacturing industry," *Materials Today: Proceedings*, **5** (11, Part 3), 24971-24983 (2018).
10. S. Emami, S. M. Arabzad, and S. Sajadi, "A simulation study on warehouse loading system: The case of poultry feed production factory," *International Journal of Logistics Systems and Management*, **19**, 347 (2014).
11. C.-Y. Liong and C. S. E. Loo, "A simulation study of warehouse loading and unloading systems using ARENA," (2009).
12. B. John and J. Earnest, "Analysis and Simulation of Factory Layout using ARENA," (2019).
13. T. Wang, A. Guinet, A. Belaidi, and B. Besombes, "Modeling and simulation of emergency services with ARIS and Arena - Case study: the Emergency department of Saint Joseph and Saint Luc Hospital," *Production Planning & Control - Production Planning Control*, **20**, 484-495 (2009).
14. A. Greasley, "Using simulation for facility design: A case study," *Simulation Modelling Practice and Theory*, **16** (6), 670-677 (2008).
15. P. Groenewoud, HSR Hochschule für Technik Rapperswil, 2011.
16. W. D. Kelton, R. P. Sadowski, and D. T. Sturrock, *Simulation with Arena*. (WCB/McGraw Hill, 2007).

CERTIFICATE OF PARTICIPANT

This certifies that

Muhammad Faisal Ibrahim

Has Successfully Participated at the 1st International Conference on Technology, Informatics, and Engineering (ICon-TINE) 2021
Engineering and Technology Innovation
as PRESENTER

Malang, 28th July 2021

University of Muhammadiyah Malang, Indonesia



DR. MOH ABDUH, MT
Chairman
The 1st ICon-TINE 2021



DR. AHMAD MUBIN, MT
Dean of Engineering Faculty