Volume 2693

# International Conference on Industrial, Enterprise, and System Engineering

Collaboration of Science, Technology, and Innovation Toward Sustainable Development

Bandung, Indonesia • 16 December 2021

Editors • Nova Indah Saragih, Sheila Amalia Salma, Fitriyana Dewi, Dino Caesaron, Maria Dellarosawati, Dina Rachmawaty, Famila Dwi Winati, Devi Yurisca Bernanda, Fuji Rahayu Wilujeng and Glisina Dwinoor Rembulan





### Issues



#### **PRELIMINARY**

<u>Preface: International Conference on Industrial, Enterprise, and System Engineering</u>

AIP Conf. Proc. 2693, 010001 (2023) https://doi.org/10.1063/12.0013614



#### ICT, SOFTWARE AND HARDWARE ENGINEERING


Performance evaluation of ERP based to ISO/IEC 25010:2011 quality model (a case study)

Haryasena Panduwiyasa; Yopi Yuda Febrian; Muhardi Saputra; Zalina Fatima Azzahra AIP Conf. Proc. 2693, 020001 (2023) https://doi.org/10.1063/5.0174711



Information management for client change requests on the project management and operation in outsourcing company [883]

Muharman Lubis; Dhuhadmy Anggiya Kirana; Muhammad Dwi Satya; Arif Ridho Lubis AIP Conf. Proc. 2693, 020002 (2023) https://doi.org/10.1063/5.0162817




Online voucher e-commerce testing using ISO 9126 model [883]

Johanes Fernandes Andry; Lydia Liliana; Aziza Chakir; Hendy Tannady AIP Conf. Proc. 2693, 020003 (2023) https://doi.org/10.1063/5.0118726



Analysis and prediction supermarket sales with data mining using rapidminer em

Johanes Fernandes Andry; Henny Hartono; Honni; Deny; Jeffrey Jo *AIP Conf. Proc.* 2693, 020004 (2023) https://doi.org/10.1063/5.0118725



Employee's satisfaction index analysis and prediction using k-means clustering, decision tree, and association rules algorithm [883] Kevin Christianto; Fendyanto; Devi Yurisca Bernanda; Johanes Fernandes Andry; Francka Sakti Lee AIP Conf. Proc. 2693, 020005 (2023) https://doi.org/10.1063/5.0119093 Abstract ✓ View article 🔁 PDF Design of vibration monitoring system and running hour of compressor engine based on internet of things [REE] Priskila Christine Rahayu; Effendi Soewono; Laurentius Geraldi AIP Conf. Proc. 2693, 020006 (2023) https://doi.org/10.1063/5.0119054 Abstract ∨ View article 🛭 PDF Application of GPS technology in the design of logistics vehicle monitoring applications **EEE** Anggia Dasa Putri; Ellbert Hutabri; Deden Witarsyah Jacob AIP Conf. Proc. 2693, 020007 (2023) https://doi.org/10.1063/5.0118745 Abstract ∨ View article PDF Designing quality metrics for control quality project on educational game development em Fibyan Anthony; Ika Puspita; Wawan Tripiawan AIP Conf. Proc. 2693, 020008 (2023) https://doi.org/10.1063/5.0121716 Abstract ✓ View article 🖪 PDF UI/UX evaluation of android-based social media sestyc application with think aloud and heuristic method em Wira Maulana; Sri Rahayu Natasia; M. Gilvy Langgawan Putra AIP Conf. Proc. 2693, 020009 (2023) https://doi.org/10.1063/5.0141046 Abstract ∨ View article □ PDF Designing smart applications as a solution for e-service of hydroponics product in the digital era 🚥 Rachelia Windi Saputri; Martinus Eko Prasetyo; Yana Erlyana AIP Conf. Proc. 2693, 020010 (2023) https://doi.org/10.1063/5.0120567 Abstract ∨ View article PDF Designing user interface of Conlab application as a programming learning tool using goal-directed design method em Desita Nur Rosyidiana; Rahmat Fauzi; Ekky Novriza Alam AIP Conf. Proc. 2693, 020011 (2023) https://doi.org/10.1063/5.0174932 Abstract ∨ View article □ PDF


Garbage classification using convolutional neural ne learning	twork based transfer
Faqih Hamami	
AIP Conf. Proc. 2693, 020012 (2023) https://doi.org/10.1063/5.0128946	
Abstract ✓ View article	
Analysis of government resource planning relationsh government sector for public service  Muharman Lubis; Rizka Fadhilah; Fritasya Dwiputri Suryoputro  AIP Conf. Proc. 2693, 020013 (2023) https://doi.org/10.1063/5.0118820	nip in Indonesian
Abstract ✓ View article	
Classification of heart disease trigger factors using Noredict the risk of heart disease using IoT-based heart disease using I	art rate sensors 🚌
Forecasting the amount of plywood sales using holt's smoothing REE  Nico Santosa; Halim Agung; Teady Matius Surya Mulyana; Lukm  AIP Conf. Proc. 2693, 020015 (2023) https://doi.org/10.1063/5.0119090  Abstract View article	·
Determining level of lies with GSR and heart rate particle fuzzy logic method William Steven; Halim Agung; Teady Matius Surya Mulyana; Lukr AIP Conf. Proc. 2693, 020016 (2023) https://doi.org/10.1063/5.0119092  Abstract View article	
Implementation of web-based Japanese digital hand code and manhattan distance  Kevin Laurence Hartono; Jusia Amanda Ginting  AIP Conf. Proc. 2693, 020017 (2023) https://doi.org/10.1063/5.0174709  Abstract View article	lwriting OCR using chain
ASSURANCE - MOW district - MET FDF	
Improving upoblity of Tolkom university ones library	wahaita waing waar aantara

Improving usability of Telkom university open library website using user-centered design method [888]

Diva Jihan Safira; Alvi Syahrina; Ahmad Musnansyah

Abstract ✓			
	View article	₽ PDF	
-			nce intention on the use of ShopeePay ion modeling 🕮
	_	-	Aidil Saputra Kirsan; Alya Sekar Ayu Salsabilla
AIP Conf. Proc. 269	3, 020019 (2023) http	os://doi.org/10.10	063/5.0118871
Abstract ✓	View article	€ ppr	
Abstract	view article	☑ PDF	
Data integrat	ion of SAP bus	siness one	with website and mobile using AIP
(accelerated	implementatio	n program)	method for configuration res
	a; Muharman Lubi	_	
AIP Conf. Proc. 269	3, 020020 (2023) http	os://doi.org/10.10	063/5.0118829
Abstract ✓	View article	₽DF	
Analysis of in	formation syst	ems-busin	ess strategic planning in vocational high
Frisca Febriyani	Kurniawan; Berlia	n Maulidya Izz	zati
AIP Conf. Proc. 269	3, 020021 (2023) http	os://doi.org/10.10	063/5.0174919
A la - 4 4 . > .	VC	<b>5</b> pps	
Abstract ∨	View article	₽DF	
Correlation be algorithm sup	etween Twitter	r sentiment achine (SV Cristian Adi Pu	
Correlation be algorithm suppionisia Bhisetya AIP Conf. Proc. 269 Abstract V	etween Twitter oport vector ma a Rarasati; Josef ( 3, 020022 (2023) http  View article	r sentiment achine (SV Cristian Adi Pu os://doi.org/10.10	M) governor candidate electability level tra
Correlation be algorithm supplication be algorithm supplications. Bhisetya AIP Conf. Proc. 269  Abstract   Development provide touris	etween Twitter oport vector ma a Rarasati; Josef ( 3, 020022 (2023) http  View article	r sentiment achine (SV) Cristian Adi Pu os://doi.org/10.10	M) governor candidate electability level tra 063/5.0119365  vstem for storing tourist visit data and scrum method REE
Correlation be algorithm supported by algorithm between the control of the cont	etween Twitter pport vector ma Rarasati; Josef ( 3, 020022 (2023) http View article  of tourism information	r sentiment achine (SV) Cristian Adi Pu os://doi.org/10.10	M) governor candidate electability level tra 063/5.0119365  // vstem for storing tourist visit data and scrum method REE anti
Correlation be algorithm suppionisia Bhisetya AIP Conf. Proc. 269  Abstract   Development Drovide touris bnu Mas'ud; Sri	etween Twitter pport vector ma Rarasati; Josef ( 3, 020022 (2023) http View article  of tourism info m information Rahayu Natasia; 3, 020023 (2023) http	r sentiment achine (SV) Cristian Adi Pu cos://doi.org/10.10 PDF  cormation sy using the sy Yuyun Tri Wir	M) governor candidate electability level tra 063/5.0119365  // vstem for storing tourist visit data and scrum method REE anti
Correlation be algorithm supported by algorithm supported by algorithm supported by algorithm supported by algorithm by al	etween Twitter oport vector ma a Rarasati; Josef ( 3, 020022 (2023) http  View article  t of tourism information Rahayu Natasia;	r sentiment achine (SV) Cristian Adi Pu os://doi.org/10.10	M) governor candidate electability level tra 063/5.0119365  // vstem for storing tourist visit data and scrum method REE anti
Correlation be algorithm supplied by algorithm supplied by algorithm supplied by algorithm supplied by algorithm algorithm. Algorithm algorithm algorithm algorithm algorithm algorithm algorithm algorithm.	etween Twitter oport vector ma a Rarasati; Josef ( 3, 020022 (2023) http  View article  Tof tourism information Rahayu Natasia; 3, 020023 (2023) http  View article  ted business of erature review	r sentiment achine (SVI) Cristian Adi Puros://doi.org/10.10 PDF  ormation sy using the sy using	M) governor candidate electability level tra  263/5.0119365   Vestem for storing tourist visit data and scrum method REE  263/5.0174657  In reference architecture: Findings from  Marten Van Sinderen
Correlation be algorithm supplied by algorithm supplied by algorithm supplied by algorithm supplied by algorithm algorithm. Algorithm algorithm algorithm algorithm algorithm algorithm algorithm algorithm.	etween Twitter oport vector ma a Rarasati; Josef ( 3, 020022 (2023) http  View article  Tof tourism information Rahayu Natasia; 3, 020023 (2023) http  View article  ted business ( erature review dausy; Maria-Euger	r sentiment achine (SVI) Cristian Adi Puros://doi.org/10.10 PDF  ormation sy using the sy using	M) governor candidate electability level tra  263/5.0119365   Vestem for storing tourist visit data and scrum method REE  263/5.0174657  In reference architecture: Findings from  Marten Van Sinderen

MeX FX algorithm in temperature sensor data reconstruction 🚥



	neng-Jhe Lin; Kung-Jeng Wang; Chiuhsiang Joe Lin 3, 020033 (2023) https://doi.org/10.1063/5.0120855
7111 COM: 1 100. 2000	, 020033 (2023) https://doi.org/10.1063/3.0120633
Abstract ✓	View article
	sed decision support system for determining recommendations f
•	orts tourism development 🕮
_	us Irawan; Mey Risa 8, 020034 (2023) https://doi.org/10.1063/5.0118990
7.11. 20111. 7 700. 2000	, 02000 (2020) 110000
Abstract ✓	View article
INDUSTRIA	AL AND MANUFACTURING SYSTEM
_	gn analysis of distribution centers for medical logistics aid of
COVID-19 in \	
Nova Indah Sarag	
AIP Cont. Proc. 2693	3, 030001 (2023) https://doi.org/10.1063/5.0118739
Abstract ✓	View article DPF
	duling with the integration of multi mixed-model production line model sequencing in make-to-order environment: Model
Ashsyfa Gustina;	Yudha Prambudia; M. Deni Akbar
Ashsyfa Gustina;	
Ashsyfa Gustina;	Yudha Prambudia; M. Deni Akbar
Ashsyfa Gustina; AIP Conf. Proc. 2693	Yudha Prambudia; M. Deni Akbar 8, 030002 (2023) https://doi.org/10.1063/5.0124587
Ashsyfa Gustina; AIP Conf. Proc. 2693 Abstract   Implementatio	Yudha Prambudia; M. Deni Akbar 3, 030002 (2023) https://doi.org/10.1063/5.0124587  View article  PDF  on of the vehicle routing problem concept with heterogeneous flee
Ashsyfa Gustina; AIP Conf. Proc. 2693  Abstract   Implementatio and time wind	Yudha Prambudia; M. Deni Akbar  3, 030002 (2023) https://doi.org/10.1063/5.0124587  View article  PDF  on of the vehicle routing problem concept with heterogeneous flee ow to reduce delivery delays at PT. XYZ
Ashsyfa Gustina;  AIP Conf. Proc. 2693  Abstract   Implementatio and time wind  Nisri Husna Faadh	Yudha Prambudia; M. Deni Akbar 8, 030002 (2023) https://doi.org/10.1063/5.0124587  View article  PDF  on of the vehicle routing problem concept with heterogeneous flewow to reduce delivery delays at PT. XYZ  milah; Muhammad Nashir Ardiansyah; Hardian Kokoh Pambudi
Ashsyfa Gustina;  AIP Conf. Proc. 2693  Abstract   Implementatio and time wind  Nisri Husna Faadh	Yudha Prambudia; M. Deni Akbar  3, 030002 (2023) https://doi.org/10.1063/5.0124587  View article  PDF  on of the vehicle routing problem concept with heterogeneous flee ow to reduce delivery delays at PT. XYZ
Ashsyfa Gustina;  AIP Conf. Proc. 2693  Abstract   Implementatio and time wind  Nisri Husna Faadh	Yudha Prambudia; M. Deni Akbar 8, 030002 (2023) https://doi.org/10.1063/5.0124587  View article  PDF  on of the vehicle routing problem concept with heterogeneous flewow to reduce delivery delays at PT. XYZ  milah; Muhammad Nashir Ardiansyah; Hardian Kokoh Pambudi
Ashsyfa Gustina;  AIP Conf. Proc. 2693  Abstract   Implementatio and time wind  Nisri Husna Faadr  AIP Conf. Proc. 2693	Yudha Prambudia; M. Deni Akbar  8, 030002 (2023) https://doi.org/10.1063/5.0124587  View article  PDF  on of the vehicle routing problem concept with heterogeneous flee ow to reduce delivery delays at PT. XYZ  inilah; Muhammad Nashir Ardiansyah; Hardian Kokoh Pambudi  8, 030003 (2023) https://doi.org/10.1063/5.0136620
Ashsyfa Gustina; AIP Conf. Proc. 2693 Abstract   Implementatio and time wind Nisri Husna Faadh AIP Conf. Proc. 2693 Abstract   Simulation the	Yudha Prambudia; M. Deni Akbar  3, 030002 (2023) https://doi.org/10.1063/5.0124587  View article  PDF  on of the vehicle routing problem concept with heterogeneous flew ow to reduce delivery delays at PT. XYZ  inilah; Muhammad Nashir Ardiansyah; Hardian Kokoh Pambudi 3, 030003 (2023) https://doi.org/10.1063/5.0136620  View article  PDF  e effect of secondary blade to hammermill machine's air flow and
Ashsyfa Gustina;  AIP Conf. Proc. 2693  Abstract   Implementatio and time wind  Nisri Husna Faadr  AIP Conf. Proc. 2693  Abstract   Simulation the particle flow	Yudha Prambudia; M. Deni Akbar  3, 030002 (2023) https://doi.org/10.1063/5.0124587  View article  PDF  on of the vehicle routing problem concept with heterogeneous flee ow to reduce delivery delays at PT. XYZ  nilah; Muhammad Nashir Ardiansyah; Hardian Kokoh Pambudi  3, 030003 (2023) https://doi.org/10.1063/5.0136620  View article  PDF  e effect of secondary blade to hammermill machine's air flow and
Ashsyfa Gustina;  AIP Conf. Proc. 2693  Abstract   Implementatio and time wind  Nisri Husna Faadr  AIP Conf. Proc. 2693  Abstract   Simulation the particle flow   Kevin Gabrianto F	Yudha Prambudia; M. Deni Akbar  3, 030002 (2023) https://doi.org/10.1063/5.0124587  View article  PDF  on of the vehicle routing problem concept with heterogeneous flew ow to reduce delivery delays at PT. XYZ  inilah; Muhammad Nashir Ardiansyah; Hardian Kokoh Pambudi 3, 030003 (2023) https://doi.org/10.1063/5.0136620  View article  PDF  e effect of secondary blade to hammermill machine's air flow and
AlP Conf. Proc. 2693  Abstract   Implementation and time windown Wisri Husna Faadh AIP Conf. Proc. 2693  Abstract   Simulation the particle flow   Kevin Gabrianto F	Yudha Prambudia; M. Deni Akbar 3, 030002 (2023) https://doi.org/10.1063/5.0124587  View article  PDF  on of the vehicle routing problem concept with heterogeneous flew ow to reduce delivery delays at PT. XYZ

	, 030005 (2023) https://doi.org/10.1063/5.0119064
Abstract ✓	View article
•	of 5 kW BLDC electric motor production assembly line for GESI cycle at PT. XYZ using genetic algorithm 🚥
	hif Ibrahim; Dida Diah Damayanti; Ayudita Oktafiani
AIP Conf. Proc. 2693	, 030006 (2023) https://doi.org/10.1063/5.0174712
Abstract ✓	View article  PDF
Effect of durat	ion of online classes on student mental workload 🕮
_	o Caesaron; Ni Ketut Mega Diana Putri; Annisa Haq; Lukman Nul Hakim , 030007 (2023) https://doi.org/10.1063/5.0119075
Abstract ✓	View article
	ward's method and K-means clustering in determining logistics
	considering logistics costs 🕮
	n; Glisina Dwinoor Rembulan; Surya Danusaputro Liman , 030008 (2023) https://doi.org/10.1063/5.0119818
Abstract ✓	View article
Designing risk	View article PDF  register using qualitative methods to electronic package service
Designing risk project 🞟	register using qualitative methods to electronic package service
Designing risk project === Ryani Amelia; Ika	
Designing risk project FREE Ryani Amelia; Ika AIP Conf. Proc. 2693	register using qualitative methods to electronic package servic  Arum Puspita; Devi Pratami , 030009 (2023) https://doi.org/10.1063/5.0174916
Designing risk project === Ryani Amelia; Ika	register using qualitative methods to electronic package servic
Designing risk project REE Ryani Amelia; Ika AIP Conf. Proc. 2693 Abstract   Interruptions a	register using qualitative methods to electronic package servic  Arum Puspita; Devi Pratami , 030009 (2023) https://doi.org/10.1063/5.0174916
Designing risk project Ryani Amelia; Ika  AIP Conf. Proc. 2693  Abstract   Interruptions a study of the da  Asyia Mobeen; M	register using qualitative methods to electronic package servic  Arum Puspita; Devi Pratami , 030009 (2023) https://doi.org/10.1063/5.0174916  View article  Devi Pratami Li PDF
Designing risk project Ryani Amelia; Ika  AIP Conf. Proc. 2693  Abstract   Interruptions a study of the da  Asyia Mobeen; M	register using qualitative methods to electronic package servic  Arum Puspita; Devi Pratami , 030009 (2023) https://doi.org/10.1063/5.0174916  View article  PDF  and multitasking in emergency departments: An observational aily work pattern of the doctors
Designing risk project Ryani Amelia; Ika AIP Conf. Proc. 2693  Abstract   Interruptions a study of the da Asyia Mobeen; Mair Conf. Proc. 2693  Abstract   Digitization of	register using qualitative methods to electronic package servic  Arum Puspita; Devi Pratami , 030009 (2023) https://doi.org/10.1063/5.0174916  View article  PDF  Ind multitasking in emergency departments: An observational aily work pattern of the doctors cut uhammad Shafiq; Muhammad Haris Aziz; Muhammad Junaid Mohsin , 030010 (2023) https://doi.org/10.1063/5.0118760
Designing risk project Ryani Amelia; Ika AIP Conf. Proc. 2693  Abstract   Interruptions a study of the da Asyia Mobeen; MAIP Conf. Proc. 2693  Abstract   Digitization of evaluation	register using qualitative methods to electronic package servic  Arum Puspita; Devi Pratami , 030009 (2023) https://doi.org/10.1063/5.0174916  View article  PDF  and multitasking in emergency departments: An observational aily work pattern of the doctors  uhammad Shafiq; Muhammad Haris Aziz; Muhammad Junaid Mohsin , 030010 (2023) https://doi.org/10.1063/5.0118760  View article  PDF  information and technology in manufacturing: A concept
Designing risk project Ryani Amelia; Ika AIP Conf. Proc. 2693  Abstract   Interruptions a study of the da Asyia Mobeen; Mair AIP Conf. Proc. 2693  Abstract   Digitization of evaluation RESTATES Akhmad Tatang Akhm	register using qualitative methods to electronic package service.  Arum Puspita; Devi Pratami , 030009 (2023) https://doi.org/10.1063/5.0174916  View article  PDF  and multitasking in emergency departments: An observational aily work pattern of the doctors  uhammad Shafiq; Muhammad Haris Aziz; Muhammad Junaid Mohsin , 030010 (2023) https://doi.org/10.1063/5.0118760  View article

AIF COIII. F10C. 209	3, 030012 (2023) https://doi.org/10.1063/5.0119537	
Abstract ✓	View article DPF	
• .	posed improvement of calendering process on cotton card PT XYZ with the DMAI approach	ded 24S
•	uryandaru; Marina Yustiana Lubis; Yunita Nugrahaini Safrudin	
	3, 030013 (2023) https://doi.org/10.1063/5.0174763	
Abstract ✓	View article	
Potential for i	ncreasing value captured in java furniture company (JFC)	FREE
	Singgih; Safira Fortuna Aji; Dewanti Anggrahini	
AIP Conf. Proc. 269	3, 030014 (2023) https://doi.org/10.1063/5.0121449	
Abstract ✓	View article	
manufacturing Siti Syahara Mad	decision making model for component repair using additive green strain and the strain of the strain	re
manufacturino Siti Syahara Mad	Yusoh; Dzuraidah Abd Wahab; Abdul Hadi Azman	re
manufacturing Siti Syahara Mad AIP Conf. Proc. 2699 Abstract >	Yusoh; Dzuraidah Abd Wahab; Abdul Hadi Azman 3, 030015 (2023) https://doi.org/10.1063/5.0119607	
manufacturing Siti Syahara Mad AIP Conf. Proc. 269: Abstract   Prevalence of	Yusoh; Dzuraidah Abd Wahab; Abdul Hadi Azman 3, 030015 (2023) https://doi.org/10.1063/5.0119607  View article  PDF  The willingness to receive COVID-19 vaccine among nurs	
manufacturing Siti Syahara Mad AIP Conf. Proc. 2699 Abstract   Prevalence of Indonesia  Sheila Amalia Sal	Yusoh; Dzuraidah Abd Wahab; Abdul Hadi Azman 3, 030015 (2023) https://doi.org/10.1063/5.0119607  View article  PDF	
manufacturing Siti Syahara Mad AIP Conf. Proc. 2699 Abstract   Prevalence of Indonesia  Sheila Amalia Sal	Yusoh; Dzuraidah Abd Wahab; Abdul Hadi Azman 3, 030015 (2023) https://doi.org/10.1063/5.0119607  View article  PDF  The willingness to receive COVID-19 vaccine among nursuma; Tiara Verita Yastica	
manufacturing Siti Syahara Mad AIP Conf. Proc. 269: Abstract >  Prevalence of Indonesia  Sheila Amalia Sal AIP Conf. Proc. 269:	Yusoh; Dzuraidah Abd Wahab; Abdul Hadi Azman 3, 030015 (2023) https://doi.org/10.1063/5.0119607  View article  PDF  The willingness to receive COVID-19 vaccine among nurs ma; Tiara Verita Yastica 3, 030016 (2023) https://doi.org/10.1063/5.0119459	
manufacturing Siti Syahara Mad AIP Conf. Proc. 2699 Abstract   Prevalence of Indonesia  Sheila Amalia Sal AIP Conf. Proc. 2699 Abstract   Effect of move	Yusoh; Dzuraidah Abd Wahab; Abdul Hadi Azman 3, 030015 (2023) https://doi.org/10.1063/5.0119607  View article  The willingness to receive COVID-19 vaccine among nurs  ma; Tiara Verita Yastica 3, 030016 (2023) https://doi.org/10.1063/5.0119459  View article  PDF  ement speed and flow capacity on the printed chocolate in	ses in
manufacturing Siti Syahara Mad AIP Conf. Proc. 2699 Abstract   Prevalence of Indonesia REE Sheila Amalia Sa AIP Conf. Proc. 2699 Abstract   Effect of move printing mach Reza Mahardika;	Yusoh; Dzuraidah Abd Wahab; Abdul Hadi Azman 3, 030015 (2023) https://doi.org/10.1063/5.0119607  View article  The willingness to receive COVID-19 vaccine among nurs  ma; Tiara Verita Yastica 3, 030016 (2023) https://doi.org/10.1063/5.0119459  View article  PDF  ement speed and flow capacity on the printed chocolate in	ses in
manufacturing Siti Syahara Mad AIP Conf. Proc. 2699 Abstract   Prevalence of Indonesia REE Sheila Amalia Sa AIP Conf. Proc. 2699 Abstract   Effect of move printing mach Reza Mahardika;	Yusoh; Dzuraidah Abd Wahab; Abdul Hadi Azman 3, 030015 (2023) https://doi.org/10.1063/5.0119607  View article  PDF  The willingness to receive COVID-19 vaccine among nursema; Tiara Verita Yastica 3, 030016 (2023) https://doi.org/10.1063/5.0119459  View article  PDF  PDF  PDF  Muhammad Musthofa; Rafiq Aly Nurdin; Setyawan Bekti Wibowo	ses in
manufacturing Siti Syahara Mad AIP Conf. Proc. 2699 Abstract   Prevalence of Indonesia REE Sheila Amalia Sal AIP Conf. Proc. 2699 Abstract   Effect of move printing mach Reza Mahardika; AIP Conf. Proc. 2699 Abstract   Abstract   Asimulation of	Yusoh; Dzuraidah Abd Wahab; Abdul Hadi Azman 3, 030015 (2023) https://doi.org/10.1063/5.0119607  View article PDF  The willingness to receive COVID-19 vaccine among nurs ma; Tiara Verita Yastica 3, 030016 (2023) https://doi.org/10.1063/5.0119459  View article PDF  The ment speed and flow capacity on the printed chocolate in ine  me Muhammad Musthofa; Rafiq Aly Nurdin; Setyawan Bekti Wibowo 3, 030017 (2023) https://doi.org/10.1063/5.0118855  View article PDF  Of berth scheduling problem for container terminals consider.	ses in
manufacturing Siti Syahara Mad AIP Conf. Proc. 269: Abstract   Prevalence of Indonesia  Sheila Amalia Sal AIP Conf. Proc. 269: Abstract   Effect of move printing mach Reza Mahardika; AIP Conf. Proc. 269: Abstract   Abstract   Asimulation of internal trucks	Yusoh; Dzuraidah Abd Wahab; Abdul Hadi Azman 3, 030015 (2023) https://doi.org/10.1063/5.0119607  View article PDF  The willingness to receive COVID-19 vaccine among nurses are Tiara Verita Yastica 3, 030016 (2023) https://doi.org/10.1063/5.0119459  View article PDF  The ment speed and flow capacity on the printed chocolate in the time	ses in

## Mental workload analysis in PPIC division using NASA-TLX method at PT ABC Atyanti Dyah Prabaswari; Fahri Danianto; Bagus Wahyu Utomo AIP Conf. Proc. 2693, 030019 (2023) https://doi.org/10.1063/5.0119378 Abstract ∨ View article 🖪 PDF Design of post-Covid 19 sustainability of coffee agroindustry supply chain in Indonesia **EEE** Iphov Kumala Sriwana; Pratya Poeri Suryadhini; Wawan Tripiawan; Ulfa Eka Khapso AIP Conf. Proc. 2693, 030020 (2023) https://doi.org/10.1063/5.0119126 Abstract ✓ View article PDF Improving the quality of production of power tranformer tank using six sigma approach in tank fabrication em Nur Aswan Darwis; Moses Laksono Singgih AIP Conf. Proc. 2693, 030021 (2023) https://doi.org/10.1063/5.0174460 Abstract ✓ View article 🔁 PDF Discrete cuckoo search algorithm in scheduling dynamic route of medical and non-medical waste transportation at regional-based health facilities during the Covid-19 pandemic em Miftahol Arifin; Syarif Hidaytulloh; Sarah Karenina Sari AIP Conf. Proc. 2693, 030022 (2023) https://doi.org/10.1063/5.0118767 Abstract ✓ View article 🛭 PDF Exploring the concurrent impact of costs, travel time and CO2 Emissions within a hybrid aisle-line warehouse through genetic algorithm Marialuisa Menanno; Matteo Savino AIP Conf. Proc. 2693, 030023 (2023) https://doi.org/10.1063/5.0119162 Abstract ✓ View article D PDF Model development of capacity and production planning in the supply chain of coconut oil agroindustry FEE Meilizar AIP Conf. Proc. 2693, 030024 (2023) https://doi.org/10.1063/5.0119082 Abstract ∨ View article 🔁 PDF

Sustainable supplier selection and order allocation: A systematic literature review **(REE)** 

Alina Cynthia Dewi; T. Y. M. Zagloel

Abstract ✓ View article
Feasibility analysis of 5G mmwave planning: Profit, risk, and investment Alfin Hikmaturokhman; Kalamullah Ramli; Muhammad Suryanegara; Dina Rachmawaty  AIP Conf. Proc. 2693, 030026 (2023) https://doi.org/10.1063/5.0118735
Abstract ✓ View article
RULA-based work posture evaluation for Indonesian workers: A comparison between office and manufacturing
Rio Prasetyo Lukodono; Chiuhsiang Joe Lin
AIP Conf. Proc. 2693, 030027 (2023) https://doi.org/10.1063/5.0119107
Abstract ✓ View article
Overview of ergonomics implementation in small medium enterprises industries in the home industry-based food business (Kukuh Lukiyanto; Anang Ramadhan Feri Pratama  AIP Conf. Proc. 2693, 030028 (2023) https://doi.org/10.1063/5.0121681
Abstract ✓ View article
Integration of quality function deployment (QFD) and analytical hierarchy process (AHP) to improve student information system Famila Dwi Winati; Dina Rachmawaty; Achmad Zaki Yamani; Hawwin Mardhiana AIP Conf. Proc. 2693, 030029 (2023) https://doi.org/10.1063/5.0119772  Abstract View article
Text mining implementation in complaint management: A case study at Surabaya city office for population administration and civil registration (COPACR)
Maria Anityasari; Irnanda Dwi Ayu Indriasari
AIP Conf. Proc. 2693, 030030 (2023) https://doi.org/10.1063/5.0120572
Abstract ✓ View article
Job shop production layout optimization using combined CORELAP and CRAFT algorithms  Belachew Mebrat; Bereket Haile
AIP Conf. Proc. 2693, 030031 (2023) https://doi.org/10.1063/5.0118878
Abstract ✓ View article

Measurement of logistics service quality among courier service in Banyumas Regency using an importance performance analysis (IPA) approach

	ramming method 🞟
Riri Anisa Arisdila	; Warih Puspitasari; Alvi Syahrina
AIP Conf. Proc. 2693	3, 040005 (2023) https://doi.org/10.1063/5.0174928
Abstract ✓	View article  PDF
Reviving Indo augmented re	onesian Panji Tales in modern fashion product design with eality res
Christabel Parung Kurniawan Jaya	g; Markus Hartono; Wyna Herdiana; Prayogo Waluyo; Guguh Sujatmiko; Brian
AIP Conf. Proc. 2693	3, 040006 (2023) https://doi.org/10.1063/5.0118716
Abstract ∨	View article
systematic lite Meriastuti Ginting	key factors of industry 4.0 adoption in the manufacturing industry: A crature review [13]; T. Y. M. Zagloel 3, 040007 (2023) https://doi.org/10.1063/5.0119019  View article PDF
Supply chain	TURING AND MATERIALS ENGINEERING  performance measurement for manufacturing industry: A study
0.	mic (Covid-19) REE
Ferdoush Salehe	en; Md. Mamun Habib
Ferdoush Salehe	
Ferdoush Salehe	en; Md. Mamun Habib
Ferdoush Salehee  AIP Conf. Proc. 2693  Abstract   Design and co	en; Md. Mamun Habib 3, 050001 (2023) https://doi.org/10.1063/5.0118758
Ferdoush Salehee  AIP Conf. Proc. 2693  Abstract   Design and co	en; Md. Mamun Habib 3, 050001 (2023) https://doi.org/10.1063/5.0118758  View article  PDF  ontrol of high voltage gain transformerless DC-DC converter all aulana; Misbahul Munir; Irham Fadlika; Arif Nur Afandi; Taufik
Ferdoush Salehee  AIP Conf. Proc. 2693  Abstract   Design and co  M. Aldy Wildan M.  AIP Conf. Proc. 2693	en; Md. Mamun Habib 3, 050001 (2023) https://doi.org/10.1063/5.0118758  View article  PDF  Ontrol of high voltage gain transformerless DC-DC converter laulana; Misbahul Munir; Irham Fadlika; Arif Nur Afandi; Taufik 3, 050002 (2023) https://doi.org/10.1063/5.0118886
Ferdoush Salehee  AIP Conf. Proc. 2693  Abstract   Design and co  M. Aldy Wildan M.  AIP Conf. Proc. 2693	en; Md. Mamun Habib 3, 050001 (2023) https://doi.org/10.1063/5.0118758  View article  PDF  Ontrol of high voltage gain transformerless DC-DC converter laulana; Misbahul Munir; Irham Fadlika; Arif Nur Afandi; Taufik 3, 050002 (2023) https://doi.org/10.1063/5.0118886

# A simulation of berth scheduling problem for container terminals considering internal trucks and vessels arrival time [FREE]

Maulin Masyito Putri **□**; Muhammad Faisal Ibrahim; Rifki Ratih Triwardani



AIP Conf. Proc. 2693, 030018 (2023) https://doi.org/10.1063/5.0118770





CrossMark

09 November 2023 23:09:55





# A Simulation of Berth Scheduling Problem for Container Terminals Considering Internal Trucks and Vessels Arrival Time

Maulin Masyito Putri<sup>1,a)</sup>, Muhammad Faisal Ibrahim<sup>1,b)</sup>, and Rifki Ratih Triwardani<sup>1,c)</sup>

<sup>1</sup>Department of Logistics Engineering Departement, Universitas Internasional Semen Indonesia, PT. Semen Indonesia (Persero) Tbk. Area, Jl. Veteran, Sidokumpul, Gresik, Jawa Timur 61122, Indonesia

a) Corresponding author: maulin.putri@uisi.ac.id
b) Muhammad.ibrahim@uisi.ac.id
b) rifki.triwardani16@student.uisi.ac.id

**Abstract.** This research develops a berth scheduling simulation model to solve the Berth Scheduling Problem at a container terminal. Berth scheduling is influenced by the vessel's arrival time, because it will affect the availability of the quay and material handling. The vessel needs material handling for loading and unloading process in container terminal, there are quay cranes and internal trucks. The internal truck moves the unloading containers from quay to the container yard and the loading containers from container yard to the quay. When the loading and unloading process of a vessel is running, an internal truck is dedicated to a quay crane until the loading and unloading process of a vessel is complete. The number of quay cranes serving a vessel is determined based on the LOA (length over all) of vessel. The quay crane will start loading and unloading when the internal trucks arrive at the quay. It often causes the quay cranes and vessels to wait for loading unloading process. In addition, this will have an impact on the berthing time of the vessel and the waiting time for other vessels that will berth. This research develops a berth scheduling simulation by considering the arrival time of the vessels and internal trucks to get the vessel's berthing schedule and assign the quay crane by minimizing waiting time and berthing time.

#### INTRODUCTION

In recent years, there has been an increase in the number of containers in all Indonesia's container ports. In 2019, it was recorded that 14.7 million TEUs of containers were served by Indonesia's container port, an increase of 4.79% from 2018 [1]. It's supported by the government policies for developing Indonesia's maritime infrastructure and business processes. These policies are expected to minimize dwelling time or to minimize the length of time ships are docked for loading and unloading to increase container port service capacity. To achieve this goal, it is necessary to have operational efficiency for Indonesia's container port services.

There are five important parts in the operation of a container port, they are gate, container yard (CY) or storage yard (SY), transport, dock (quay) and berth as described in Fig. 1. [2]. Gate is the entrance and exit of customer trucks to or from CY and dock. CY is a temporary storage for containers to be loaded or unloaded to or from the vessel. Transport is a truck or material handling equipment such as an Automated Guide Vehicle (AGV), internal trucks, forklifts, etc. In this area, there is stacking crane equipment that can receive / deliver vehicles from / to trucks and vehicles to the quay. Stacking cranes also carry containers in CY. The dock is the place for loading and unloading ships with a quay crane (QC) tool. QC unloads the unloading container (domestics or international

containers) and loads them on the internal trucks for transferring the containers to CY. And the berth area is a pool adjacent to the quay and is used to dock the vessels.

In the quay area, there is process for loading and unloading containers to and from the vessel and process for loading and unloading containers from and to internal trucks (transport). The loading unloading process is assisted by one or more QC for each ship. QC will work when the ship is ready to be unloaded or loaded and the truck is ready in loading and unloading position. The process of loading and unloading vessels is carried out in accordance with the availability of the quay and material handling. To minimize accidents, some Indonesia's container ports only allow internal trucks (port-owned trucks) that are allowed to enter the port area and to avoid queuing for trucks at the quay area. The ship's arrival schedule will affect the number of QC that will be used to serve each ship and the number of internal trucks that will serve each QC on each ship.

There are some previous studies related to berth allocation and scheduling. Some research integrating berth allocation and QC assignment and scheduling (BACAP & BACASP) [3] [4] [5] [6]. Turkogullari, et al. develop the BACAP models use linear programming model with integer 0-1, and the BACASP models use linear programming with mixed integers [3]. They have developed the BACASP model from previous studies which only cover 15 ships to 60 ships [3]. Correcher, et al proposes the metaheuristics approach based on Biased Random-key Genetic Algorithm with memetic characteristics and several Local Search procedures in BACAP and BACASP [4]. That approach can find the optimal solutions for up to 100 ships in an instance [4]. Malekahmadi, et al present an integer programming model for BACASP [5]. They use random topology particle swarm optimization algorithm (RTPSO) to solve BACASP at the large-size instances [5]. Han, et al use a mixed integer programming model and simulation based Genetic Algorithm (GA) search procedures to solve the BACASP [6]. They address berth and quay crane problems in a simultaneous way, with some uncertainty in time, like vessel arrival time and container handling time [6]. Arango, et al focus on BACASP and yard allocation problems to minimize the total service time or operating time [7]. They use optimization model to solve the problem and develop a genetic algorithm to solve the mixed integer model under three different situations in a Spanish Port [7].

Hammouti, et al have compared 3 models of berth Allocation Problem (BAP), namely dynamic and discrete berth allocation problem model (DDBAP), dynamic and continuous berth allocation problem model (DCBAP), and dynamic and hybrid berth allocation problem model (DHBAP) to find out which models can be used as a standard model for all type of terminal layouts and gives most satisfactory results at the level of minimization of ships turnaround time in the port [8]. By using CIPLEX, Himmaouti, et al (2020) can find out that DHBAP is the best model that is qualified to be applied in all types of terminal layouts [8].

This research will simulate the berth scheduling to determine to minimize the waiting time and the berthing time of vessels. This study determines the berthing location of vessels based on the vessel's arrival time and the availability of QC and determines the optimal number of internal trucks.

#### PROBLEM DEFINITION

There are ten QC on the quay for loading unloading containers from or to ship. There are 5 units QC on the international quay and five units on the domestic quay. The distance between QC is 100 m. The LOA (length over all) of the ship determines the number of QCs serving the ship. The ship with LOA less than or equal to 225 meters (LOA\leq225) are served by one QC, while ships with LOA more than 225 meters (LOA\geq225) are served by 2 QC. There are two types of containers, loading container and unloading container. After the ship has docked at the quay, the QC unloads the unloading containers and transferring them to the internal truck for transfer and storage at CY. After all the unloading containers have been moved to CY, the internal truck carries the loading containers from CY to QC to be loaded to the ship. The quay layout is described in Fig. 2 and the distance matrix between QC, CY and garage is shown in Table 1. The port manages trucks with dedicated dispatching strategy to QC. One QC is served by seven trucks and a truck will be assigned to a QC until finish serve a ship. The starting point of the trucks is garage. When the truck is finished serving the ship will return to the garage. The speed of internal trucks is constant 20 km/h.




FIGURE 1. Container Terminal Layout

TABLE 1. Distance Matrix (Meter)

To\From	CY I1	CY I2	CY I3	CY I4	CY I5	CY D1	CY D2	CY D3	CY D4	CY D5	Garage
I1	1755	1830	1905	1980	2055	2130	2205	2280	2355	2430	1725
I2	1605	1680	1755	1830	1905	1980	2055	2130	2205	2280	1575
I3	1455	1530	1605	1680	1755	1830	1905	1980	2055	2130	1425
<b>I</b> 4	1305	1380	1455	1530	1605	1680	1755	1830	1905	1980	1275
I5	1155	1230	1305	1380	1455	1530	1605	1680	1755	1830	1125
D1	1990	2065	2140	2215	2290	2365	2440	2515	2590	2665	1625
D2	1865	1940	2015	2090	2165	2240	2315	2390	2465	2540	1500
D3	1740	1815	1890	1965	2040	2115	2190	2265	2340	2415	1375
D4	1615	1690	1765	1840	1915	1990	2065	2140	2215	2290	1250
D5	1490	1565	1640	1715	1790	1865	1940	2015	2090	2165	1125
Garage	175	250	325	400	475	550	625	700	775	850	0

#### **MODEL**

#### **Conceptual Model**

The conceptual model of this research is described in the Activity Cycle Diagram (ACD) as in Fig. 3. ACD describes the sequence of processes that occur during the loading and unloading process of containers. When the vessel arrives, the vessel will wait to determine which quay area and QC will serve the vessel. After that, the vessel will berth at the quay and setup the loading and unloading process. Furthermore, the containers will be unloaded using QC and request the internal trucks from the garage to move to the QC. The containers will be loaded by internal trucks and transferred to CY. The containers to be unloaded are then stacked by CY's crane in CY. If there are still unloading containers on board, the internal trucks will immediately return to QC. If there are not unloading containers on vessel, the truck will load at CY and deliver the containers to QC to be loaded on the vessel. When all the loading containers have been loaded on the vessel, the internal truck will return to the garage and the vessel is ready to take off the berth.




FIGURE 2. ACD of Model Conceptual

#### **Simulation Model**

The simulation model consists of two sub-models, there are the quay sub-model (Fig. 4) and the CY sub-model (Fig. 5). The quay sub-model simulates the ships and the internal trucks arrival, the vessels berthing process, the loading and unloading process of QC, the loading and unloading process of internal trucks and the movement of internal trucks to CY. Meanwhile, the CY sub-model simulates the arrival of internal trucks from the quay area, the loading and unloading process of internal trucks and ASC and the movement of internal trucks to the quay area.

When the internal truck is idle, the internal truck will go to the garage to wait for the assignment. If there is an unloading assignment at the quay area, then the truck will go to the quay area from the garage. If there is an unloading assignment at CY, the internal truck will go to CY from the garage.




FIGURE 3. Quay Sub-Model




FIGURE 4. CY Sub-Model

After doing simulation modeling and running simulations, the next step is to determine the number of running replications. Running the simulation once, may not necessarily produce a value that is representative of the real system. In this replication process, it is done by trying to simulate with 10 replications for the initial replication and calculating the estimated population average interval (half-width) based on the simulation replication sample. From initial replication, the standard deviation is 2908.9. With  $\alpha$ =0.05 and  $\left(t_{n-\frac{1\alpha}{2}}\right)$  = 2.2622, so the half-width (hw) value is:

$$hw = \frac{\left(t_{n-\frac{1\alpha}{2}}\right)s}{\sqrt{n}}$$

$$hw = \frac{2,26 \times 2909.9}{\sqrt{10}} = 2081.67$$
(1)

With  $\alpha$ =0.05 and  $z \frac{\alpha}{2} = 1.96$ , so the number of replications is:

$$n' = \left[ \frac{\left( z_{\frac{\alpha}{2}} \right) x \, s}{\beta} \right]^2$$

$$n' = \left[ \frac{1,96 \, x \, 2909.9}{2081.67} \right]^2 = 7.507 \approx 8$$
(2)

To ensure that the simulation model represents the conceptual model, verification and validation process of the simulation model is carried out. Verification of the simulation model is done by testing the model and making sure there are no errors. In this research, verification process was carried out with the "check model" menu on the simulation software to see if there were errors. From the verification process results obtained the results of "No Error or Warning in Model". Based on these results, it can be concluded that the simulation model is verified and there are no errors in the simulation model. Then, the simulation model validation process is carried out using the student's-t test statistical method with confidence interval 95% on the number of loading and unloading containers to the vessel. The student's-t test aims to compare the simulation results statistically, there is no significant difference with the existing conditions. The result of student's-t test is described in Table 2 and Table 3. Based on Table 3 and Table 4, all student-t test results show that the t-count value is in the range of t-table values (t critical two-tail), then the result is accepting H0 or there is no significant difference between the simulation results and the existing conditions. So, the simulation model has been validated.

**TABLE 2.** The Student's-t Test Result For The Number of Loading Containers

t-Test: Two-Sample Assuming Unequal Variances							
	Variable 1	Variable 2					
Mean	255.8	257.6					
Variance	27084.56812	16454.9101					
Observations	70	70					
Hypothesized Mean Difference	0						
Df	130						
t Stat	-0.07217386	VALID					
P(T<=t) one-tail	0.471287236						
t Critical one-tail	1.656659413						
P(T<=t) two-tail	0.942574472						
t Critical two-tail	1.978380405						

**TABLE 3.** The Student's-t Test Result For The Number of Unloading Containers

t-Test: Two-Sample Assuming Unequal Variances							
	Variable 1	Variable 2					
Mean	202.8	198.371429					
Variance	40778.88696	18028.0919					
Observations	70	70					
Hypothesized Mean Difference	0						
df	120						
t Stat	0.152791164	VALID					
P(T<=t) one-tail	0.439409791						
t Critical one-tail	1.657650899						
P(T<=t) two-tail	0.878819583						
t Critical two-tail	1.979930405						

#### **DISCUSSION**

We simulate six vessels with seven working days. The berth scheduling with the allocation QC described in Fig. 4, while the simulation result described in Table 2. The vessel berth directly when arrived port. The first vessel docked immediately when it arrives in container terminal area. It's because all QC and internal trucks are available. When the vessel docked, seven internal trucks from the garage headed to QC D1. When one internal truck arrives at the loading location, the QC unloads the container and loads it to the internal truck. Then the internal truck will move to CY and the second arrival internal truck will occupy the loading position to carry out the process like the previous truck.




FIGURE 4. Berth Scheduling

TABLE 4. Simulation Result

Ship ID	ATQ	QC ID			Inter	nal Tru	ck ID			Departure Time
HISA031	11/29/2019 18:06	QC D1	T1	T2	Т3	T4	T5	Т6	T7	12/3/2019 3:24
SEGA049	11/30/2019 8:56	QC D2	Т8	Т9	T10	T11	T12	T13	T14	12/4/2019 6:10
TRAT004	11/30/2019 19:36	QC I1	T15	T16	T17	T18	T19	T20	T21	12/1/2019 23:28
OSTO002	12/2/2019 10:30	QC I1	T15	T17	T19	T21	T23	T25	T27	- 12/4/2019 6:03
0310002	12/2/2019 10.30	QC I2	T16	T18	T20	T22	T24	T26	T28	12/4/2019 6:03
SITU055	12/2/2019 13:00	QC D3	T29	T30	T31	T32	T33	T34	T35	12/5/2019 23:00
DERA043	12/2/2019 15:12	QC D4	T36	T37	T38	T39	T40	T41	T42	12/3/2019 0:12

The container terminal needs 4 QC in domestic dock and 2 QC in international dock for serving 4 domestic ships and 2 international vessels. With dedicated dispatching strategy (7 internal trucks for 1 QC), the container terminal needs 42 internal trucks.

**TABLE 5.** Waiting Time Result

		QC	Internal Truck				
Ship ID	Total WTQC (Minute)	Average of <i>WTQC</i> (Minute)	Average of $WT_{QC,t}$ (Minute)	Average Waiting Time in CY (Minute)			
HISA031	207.925	0.180	7.680	0.152			
SEGA049	232.225	0.176	5.602	0.009			
TRAT004	12.790	0.039	11.585	0.042			
OSTO002	22.605	0.076	18.349	0.298			
0310002	25.605	0.087	19.711	0.367			
SITU055	109.195	0.090	7.833	0.024			
DERA043	15.590	0.092	1.019	0.000			

From Table 5, we can analyze that by adding the number of QC assigned to a ship, it will speed up the loading and unloading process on the ship. So, we can minimize the waiting time of QC and the waiting time of internal truck in QC and in CY. And the most important is the container terminal can minimize the berthing time of ship and increase their utility with serve more ship. Internal truck dedicated dispatching strategy also affects to the waiting time of QC.

#### **CONCLUSION**

Based on the research results, it can be concluded that berth scheduling by considering the arrival time of vessel and internal truck can minimize QC waiting time or idle time and internal truck waiting time. So, they can minimize the berthing time and increase their utility with serve more vessel. In addition, we can use this simulation to evaluate internal truck dispatching strategies by increasing or decreasing the number of internal trucks per QC with a little bit model development. From the research results, it is known that 7 internal trucks result in high total waiting time. So, it is necessary to have a strategy to increase the number of internal trucks to serve QC. For further research, it is necessary to consider the route of the internal truck to minimize travel time and the container yard template.

#### ACKNOWLEDGMENTS

The authors would like to say thanks to the reviewers for any suggestions to improve the quality of this paper and Community Service of Universitas Internasional Semen Indonesia for the financial support of this study.

#### REFERENCES

- 1. Data, C., Indonesia Container Port Throughput, 4th November 2020. [Online]. Available: https://www.ceicdata.com/en/indicator/indonesia/container-port-throughput.
- Carlo, H. J., Vis, I. F.A., and Roodbergen, K. J., Storage yard operations in container terminals: Literature overview, trends and research directions, European Journal of Operational Research, Vol. 235, 2014, p. 412– 430.
- 3. Türkog´ulları, Y. B., Taşkın, Z. C., Aras, N., Altınel, K., Optimal berth allocation and time-invariant quay crane assignment in container terminals, European Journal of Operational Research, 235 (1), 2014, pp. 88-101.
- 4. Correcher, J. F. and Alvarez-Valdes, R., A Biased Random-Key Genetic Algorithm for the time-invariant Berth Allocation and Quay Crane Assignment Problem, Expert Systems With Applications, Vol 89, 2017, pp. 112-128.
- 5. Malekahmadi, A., Alinaghian, M., Hejazi, S. R., and Saidipour, M. A. A., Integrated continuous berth allocation and quay crane assignment and scheduling problem with time-dependent physical constraints in container terminals, Computers & Industrial Engineering, Vol 147, 2020, pp. 106672.
- 6. Han, X.-l., Lu, Z.-q., and Xi, L.-f., A proactive approach for simultaneous berth and quay crane scheduling problem with stochastic arrival and handling time, European Journal of Operational Research, Vol 207 (3), 2010, pp. 1327-1340.
- 7. Arango, C., Corte's, P., and Escudero, A., Genetic Algorithm for the Dynamic Berth Allocation Problem in Real Time, in Swarm Intelligence and Bio-Inspired Computation Theory and Applications, Elsevier, 2013, pp. 367-383
- 8. Hammoutia, I. E. and Lajjamb, A., Comparison of Planning Models for Dynamic Berth Allocation Problem Using A Sailfish-based Algorithm, Procedia Computer Science, Vol. 176, 2020, p. 3112–3120.
- 9. Rodríguez, I. C., Izquierdo, C. E., Batista, B. M., Aguilar, R. M., & Vega, J. M., Simulation-optimization for the management of the transshipment operations at maritime container terminals, Expert Systems with Applications, Vol. 139, 2019, p. 112852.
- 10. Sammarra, M., Cordeau, J., Laporte, G., & Monaco, M., A tabu search heuristic for the quay crane scheduling problem, Journal of Scheduling, Vol. 10(4-5), 2007, pp. 327-336.
- 11. Tang, G., Wang, W., Song, X., Guo, Z., Yu, X., & Qiao, F., Effect of entrance channel dimensions on berth occupancy of container terminals, Ocean Engineering, Vol. 117, 2016, pp. 174-187.